

R. Kent Snider, Chairman



Adams County Board
507 Vermont Street
Quincy, IL. 62301

ADAMS COUNTY BOARD

COUNTY BOARD MEETING MINUTES

JUNE 14, 2022

7 P.M.

**PROCEEDINGS
OF THE COUNTY BOARD
ADAMS COUNTY, ILLINOIS**

**COUNTY OF ADAMS)
STATE OF ILLINOIS)**

The County Board of Adams County, Illinois met at the Courthouse, Quincy, Illinois, on Tuesday, June 14th, 2022 at 7:00 P.M., pursuant to recess.

PRESENT: Kent Snider, Chairman
Ryan Niekamp, County Clerk

- - - - -

Mr. Matt Obert gave the invocation which was followed by the Pledge of Allegiance to the flag of the United States of America.

Chairman Snider called the meeting to order.

The County Clerk called the roll and the following members were present: Mark Peter, Matt Obert, Robert Reich, John Brady, David McCleary, Theresa Bockhold, Joe Zanger, David Hoskins, Todd Duesterhaus, Bret Austin, Steven Demoss, Mark Sorensen, Barbara Fletcher, Ryan Hinkamper, Dave Bellis, Marvin Kerkhoff, Raquel Sparrow, Travis Cooley and Kent Snider.

Total Present: 19 Absent: 2

Absent were: Les Post and Taylor Rakers

Chairman Snider declared a quorum present.

Officeholders, department heads, and/or their representatives also present were: Georgene Zimmerman- Supervisor of Assessments, Anthony Foster- Director of Court Services, Jerrod Welch- Public Health Administrator, Todd Nelson- Public Defender, John Simon-EMA & Ambulance Director, Jim Frankenhoff- County Engineer, David Hochgraber- Director of IT, Jill Reis- Regional Superintendent of Schools and Lowell Klassert- Director of HR.

Award Presentation:

At this time, the Chairman presented Mr. Roy Webb with a plaque as a token of appreciation for his service and dedication as the Superintendent of Quincy Public Schools.

Mr. Webb spoke about working with the county during the COVID pandemic. He spoke

about everyone working together to make sure the Adams County schools stayed open. He stated that the award is nice but the relationships he built is much better.

Mr. Duesterhaus made a motion to approve the minutes of the May 10, 2022 county board meeting as printed and distributed.

Mrs. Fletcher seconded the motion.

Motion to approve the minutes of the May 10, 2022 meeting as printed was adopted.

Transportation, Building & Technology

Committee Report (Mr. Bellis)

Bills – The committee met on Tuesday, June 14th to review the bills for the Highway Department, the Maintenance Department, and the Technology Department. All of the bills were in order.

Reports

The elevators have been completed and the final payment will be approved once we get it.

Resolutions

- a. 2022-06-501-018 – Resolution reporting bids, awarding the contract and appropriating \$135,000.00 from the County Bridge Fund to pay for the removal of the existing structure and installation of a new precast box culvert on County Bridge Fund Project #814 located on East 1150th Street approximately 3 miles northwest of Payson in Fall Creek Road District. (Attachment A-1)

Mr. Zanger made a motion to approve the resolution.

Mr. Hinkamper seconded the motion.

Resolution 2022-06-501-018 was approved.

- b. 2022-06-501-019 – Resolution reporting bids, awarding the contract and appropriating \$60,000.00 from the County Bridge Fund to pay for the repair of SN 001-3251 on County Bridge Fund Project #815 located on East 1100th Street approximately 3.4 miles southwest of Mendon in the Mendon Road District. (Attachment A-2)

Mr. Brady made a motion to approve the resolution.

Mr. Bellis seconded the motion.

Resolution 2022-06-501-019 was approved.

- c. 2022-06-501-020 - Resolution reporting bids and awarding the contract to County Contractors Inc., Quincy, Illinois, in the amount of \$382,671.50 for the removal and replacement of the existing structure with a precast prestressed concrete deck beam bridge and the necessary approach work, on East 1800TH Street in Gilmer Township, known as Section #21-09113-00-BR, from the June 7, 2022 Township Bridge Fund Program Letting and authorizing the Adams County Board Chairman to sign the contract. (Attachment A-3).

Mr. Zanger made a motion to approve the resolution.

Mr. Hinkamper seconded the motion.

Resolution 2022-06-501-020 was approved.

- d. 2022-06-501-021 - Resolution reporting bids and awarding the contract from the June 7, 2022 bid letting for the resurfacing of 1.031 miles of North 2400TH Avenue in Camp Point Road District using Road District Motor Fuel Tax Funds and authorizing the Adams County Board Chairman to sign the contract. (Attachment A-4)

Mr. Brady made a motion to approve the resolution.

Mr. Bellis seconded the motion.

Resolution 2022-06-501-021 was approved.

- e. 2022-06-501-022 - Resolution reporting bids and awarding the contract from the June 7, 2022 bid letting for the resurfacing of 0.332 miles of Columbus Road in Ellington Road District using Road District Motor Fuel Tax Funds and authorizing the Adams County Board Chairman to sign the contract. (Attachment A-5).

Mr. Zanger made a motion to approve the resolution.

Mr. Hinkamper seconded the motion.

Resolution 2022-06-501-022 was approved.

The committee's next meeting is scheduled for July 12th, 2022.

Legislative & Judicial

Committee Report (Mr. Peter)

Bills – The committee met on June 14th, 2022 to review the bills from the circuit Clerk, Juvenile Detention Center, Probation Department, Public Defender, State's Attorney, and the Supervisor of Assessments. All of the bills were in order.

Resolutions

- a. 2022-06-001-028 – Change in Adams County Code for County Board Members Mileage Reimbursement (Attachment B-1).

The County Clerk read the resolution by title only.

Mr. Peter made a motion to approve the county code.

Mrs. Sparrow seconded the motion.

A roll call vote was taken to approve the county code change. Those in favor were: Mark Peter, Matt Obert, Robert Reich, John Brady, David McCleary, Theresa Bockhold, Joe Zanger, David Hoskins, Todd Duesterhaus, Bret Austin, Steven Demoss, Mark Sorensen, Barbara Fletcher, Ryan Hinkamper, Dave Bellis, Marvin Kerkhoff, Raquel Sparrow, Travis Cooley and Kent Snider.

Total in favor was 19. Total opposed was 0. Total absent was 2.

The resolution was approved.

Firework Permit

The following firework permits were approved together:

- a. Firework Permit Request for Bailey Park in Camp Point, IL. on July 4th, 2022 at 9:30PM with an alternative date of July 9th, 2022 at 9:30PM (Attachment B-2)
- b. Firework Permit Request for Oakwood Acres Campground located at 2124 E. 1300th Place, Mendon, IL. For July 3, 2022 at 9:30PM with an alternative date of July 10, 2022. (Attachment B-3)
- c. Firework Permit Request for Sheridan SwimClub located at 3915 South 24th in Quincy, IL For July 4th, 2022 at 9:30PM with an alternative date of July 11th, 2022. (Attachment B-4)
- d. Firework Permit Request for Springlake Association located at 5210 Club House Drive in Quincy, IL. For July 2nd, 2022 at 9:30PM with an alternative date of July 9th, 2022 at 9:30PM. (Attachment B-5)

Mr. Peter made a motion to approve the firework permits.

Mr. Duesterhaus seconded the motion.

The firework permits were approved.

Event Liquor License

- a. Special One-Day Permit Request For the Golden Fall Festival for an event located at the Golden Windmill at 903 Prairie Mills Rd, Golden, IL. Starting at 8AM on September 10th, 2022 going through until 10PM on September 11th, 2022. (Attachment B-6)

Mr. Peter made a motion to approve the one-day permit.

Mrs. Bockhold seconded the motion.
The one-day permit was approved.

The committee's next meeting is scheduled for July 12th, 2022.

Public Health & Safety

Committee Report (Mrs. Fletcher)

Bills – The committee met on June 14th and reviewed the bills for the Sheriff's Office, Coroner's Office, Emergency Management Agency and Animal Control. All of the bills were in order.

Reports-

Mr. Eyler reported to the committee that he has received calls about Coroner Scott Graham and the great job he has done when dealing with the families of the deceased.

The Coroner reported that there were 70 deaths, 6 autopsies, 2 abandoned, 34 permits and 0 autopsies during the month of May.

The 143 inmates and the inmate transfers to the IDOC have been more frequent. We 345,135 has been deposited to the county general fund for reimbursement. The cost is expected to go up 10% or more and are looking for different commissary provider. There has been an increase of burglaries. They have arrested a group of individuals that were responsible for many of those burglaries. They completed several annual trainings within 2 days.

Mrs. Fletcher announced that the committee would like to make a recommendation that the Executive Committee move forward with the Liberty, Coastbusrg, Bailey Park, Plainville and Golden for \$600,000. Restroom project as they meet the criteria for the funds.

The committee's next meeting is scheduled for Tuesday, July 12th, 2022.

Finance

Committee Report (Mr. Austin)

Bills – The committee met on June 13th, 2022 to review the bills. All of the bills were in order.

Report-

Resolution –

a. Circuit Clerk Wage Increase

Mr. Austin spoke about last month's approval of Elected Official salaries. Mrs. Geschwandner stated that other circuit clerks have received a salary increase during the middle of their term. Mr. Austin stated that he has gotten information on how to handle these when they are in the middle of their term. Mr. Austin stated that the Finance Committee and Executive Committee is recommending that they give the Circuit Clerk the wage increase now, but that it would start on December 1, 2022 along with the other wage increases. He stated they will put this in front of the full board next month. He stated it is off-cycle and the Circuit Judge recommends it due to the other wage increases going on in the Circuit.

Finance

a. Transfer of Funds from the Adams County Finance Committee in the amount of \$1,000 from Account Line 001-001-5999 – Contingency – for a Revised Budget Amount of \$132,500 to Account Line 001-001-5764 – Legal Claims and Expenses – for a Revised Budget Amount of \$1,000. (Attachment C-1)

Mr. Austin made a motion to approve the transfer of funds.

Mr. Cooley seconded the motion.

Mr. Austin stated that the \$1,000 is just an amount to open the account in the budget. He explained this will act as a tracking mechanism to track legal expense we have with outside counsel.

A roll call vote was taken to approve the transfer of funds. Those in favor were: Mark Peter, Matt Obert, Robert Reich, John Brady, David McCleary, Theresa Bockhold, Joe Zanger, David Hoskins, Todd Duesterhaus, Bret Austin, Steven Demoss, Mark Sorensen, Barbara Fletcher, Ryan Hinkamper, Dave Bellis, Marvin Kerkhoff, Raquel Sparrow, Travis Cooley and Kent Snider.

Total in favor was 19. Total opposed was 0. Total absent was 2.

The Transfer of funds was approved.

Budget/Levy

a. Discussion of Budgeting Software

Mr. Austin explained that they have been discussing getting a targeted budgeting software for the County. He stated they have used the Marketplace City Consultant to narrow it down to 4 suppliers. He stated they will continue to discuss this and the goal is to get something in place that is more user friendly.

Insurance

Mr. Hoskins reported that they still work towards better health insurance options for the County.

The committee's next meeting will be July 11th, 2022.

Executive Committee

Committee Report (Mr. Austin)

The committee met on June 6th, 2022.

Resolution-

a. Election Judge Pay Increase

Mr. Austin explained that they are looking at increasing the Election Judge pay from \$120 to \$180 for Election Day. He stated that we have a June Primary which doesn't happen often. He stated that this would be \$6,000 more each election and this does qualify under ARPA. (Attachment D-1)

Mr. Niekamp stated that if this is approved, it will help our efforts to recruit new judges. He stated that the feedback from current Election Judges is higher pay as the current pay is not even at minimum wage.

Mr. Austin stated that it would be \$12,000 this year from the ARPA fund and in future years, we will talk about how to work it into the budget or find other grants. He stated this approval would be fore this June Primary Election and the November Election.

Mr. Duesterhaus asked if this will help recruit more judges. Mr. Niekamp stated he absolutely believes it does.

Mr. Hinkamper stated that our democracy is very important and he thinks the extra money is very worth it for what the Election Judges provide to our elections.

Mr. Austin made a motion to approve the resolution.

Mr. Peter seconded the motion.

The resolution was approved.

Discussion and Possible Action

a. ARPA Project Review

Mr. Austin stated our total ARPA money was \$12,709,000. He reported the total allocations as of today is \$6,503,000. He also reported there are pending projects with an expected \$4.79 million. He stated that they will really have to prioritize the upcoming project requests and that there is no action to take today. (Attachment D-2)

The committee's next meeting will be held on July 5th, 2022.

Unfinished Business

There was no unfinished business to discuss.

New Business

Approval of Board Member Travel Vouchers

There were no board member travel vouchers to approve.

Monthly Reports

Supervisor of Assessments/Board of Review, the Probation Department, Juvenile Detention Center, the County Clerk & Recorder's office, Sheriff's Department, Information Technology, the Public Defender, the Circuit Clerk, and the Treasurer's office, Monthly check register for May 2022, and Funds Summary report for May 2022 including revenue and expenses.

Mr. Duesterhaus made a motion to receive and file the monthly reports with the appropriate committee.

Mr. Zanger seconded the motion.

Motion to receive and file the monthly reports with the appropriate committee adopted.

Resignations

There were no resignations.

Appointments

- a. Establishment of the Adams County Bicentennial Commission with the following appointments:

Mr. Austin made a motion to approve the establishment of the Adams County Bicentennial Commission Committee.

Mr. Bellis seconded the motion.

The Establishment of the Adams County Bicentennial Commission was approved.

- b. The chairman entertained a motion to approve the appointments of the following people to the Adams County Bicentennial Commission: (Attachment E-1)
R. Kent Snider, Gary L. Farha, Reg Ankrom, Jack Freiberg, Chuck Sholz, Barb Fletcher, David Bockhold, Theresa Bockhold, Erin Knapheide, Honorable Dennis Cashman, Brad Kestner, Carol Shaffer, Pam Shaffer, Katie Shelp
Mr. Austin made a motion to approve the appointments.
Mr. McCleary seconded the motion.
The appointments to the Adams County Bicentennial Commission were approved.

- c. Adams County Board of Health for a Three-Year Term effective July 1, 2022 (Attachment E-2)
 - i. Dr. Richard Wright
 - ii. Ann Reich
 - iii. Mark PeterThe chairman entertained a motion to approve the appointments.
Mr. Obert made a motion to approve the appointments.
Mr. Bellis seconded the motion.
The appointments to the Adams County Board of Health were approved.

Correspondence

- 1) AMEREN Illinois – Upcoming Vegetation Projects (Attachment F-1)
- 2) GSS. INC. – Notice of Initiation of Public Participation U.S. Cellular in Adams County (Attachment F-2)

Mr. Duesterhaus moved to receive and file the correspondence with the appropriate committee.

Mr. Zanger seconded the motion.

Motion to receive and file the correspondence with the appropriate committee adopted.

Mr. Zanger 7:40, seconded by Mr. Bellis – the Board went into Executive Session for the purpose of litigation.

The board returned to regular session at 7:45 PM.

Mr. Austin made a motion to reject the former employee's proposed settlement.

Mr. Bellis seconded

The motion was approved unanimously.

The Chairman stated that he wishes everyone luck on the upcoming Primary Election and he thinks everyone has done a great job during a hard time.

The June 14th, 2022 meeting was recessed until Tuesday, July 12th, 2022.

ADAMS COUNTY BOARD MINUTES

JUNE 14, 2022

RESOLUTION 2022-06-501-018

By The Adams County Transportation, Building & Technology Committee

TO THE HONORABLE COUNTY BOARD

Ladies and Gentlemen:

WHEREAS, your Committee received an application from the Commissioner of Highways of Fall Creek Road District for aid in accordance with state statute and the rules of this board and has carefully considered this application. Your Committee agreed to grant aid to the above Road District and advertised for bids and held a letting on June 7, 2022, at which time the following bids were received:

County Bridge Fund Project #814:

The following was the low bid:

County Contractors Inc., Quincy, Illinois

Project #814 – Remove existing cast-in-place concrete deck bridge on steel beams and replace with a 7' x 6' precast box culvert with end sections and the necessary backfill, embankment and other ancillary work, located on East 1150TH Street, approximately 3 miles northwest of Payson, IL in Section 2 of Fall Creek Road District- \$133,703.90

The unsuccessful bidders were:

- D & L Excavating Inc., Liberty, IL - \$143,058.00
- Laverdiere Construction, Macomb, IL - \$140,280.20


WHEREAS, your Committee recommends that contract be awarded to County Contractors, Inc., on their low bid for the above project, and


NOW, THEREFORE, BE IT RESOLVED, that an appropriation be made to pay the County's portion of the cost of the project in the following sum from the County Bridge Fund:


<u>Project No.</u>	<u>Road District</u>	<u>Amount of Appropriation</u>
814	Fall Creek	\$135,000.00

or so much thereof as may be necessary to pay the County's portion of the cost.

Respectfully submitted,







Adams County Transportation, Building & Technology Committee

RESOLUTION 2022-06-501-019

By The Adams County Transportation, Building & Technology Committee

TO THE HONORABLE COUNTY BOARD

Ladies and Gentlemen:

WHEREAS, your Committee received an application from the Commissioner of Highways of Mendon Road District for aid in accordance with state statute and the rules of this board and has carefully considered this application. Your Committee agreed to grant aid to the above Road District and advertised for bids and held a letting on June 7, 2022, at which time the following bids were received:

County Bridge Fund Project #815:

The following was the only bid:

County Contractors Inc., Quincy, Illinois

Project #815 – Remove and replace a failed 59'-4" x 36" x 27" deep interior precast pre-stressed concrete deck beam on SN 001-3251, located on TR118 (East 1100th St), approximately 3.4 miles southwest of Mendon, IL - \$58,950.00


WHEREAS, your Committee recommends that contract be awarded to County Contractors, Inc., on their bid for the above project, and


NOW, THEREFORE, BE IT RESOLVED, that an appropriation be made to pay the County's portion of the cost of the project in the following sum from the County Bridge Fund:


<u>Project No.</u>	<u>Road District</u>	<u>Amount of Appropriation</u>
815	Mendon	\$60,000.00

or so much thereof as may be necessary to pay the County's portion of the cost.

Respectfully submitted,







Adams County Transportation, Building & Technology Committee

RESOLUTION 2022-06-501-020

By The Adams County Transportation, Building & Technology Committee

TO THE HONORABLE ADAMS COUNTY BOARD

Ladies and Gentlemen:

WHEREAS, your Committee, with the approval of the Illinois Department of Transportation, advertised for bids and held a letting on June 7, 2022 for the removal of the existing culvert and the construction of a 60.00' bk-bk abutment precast prestressed concrete deck beam bridge (SN 001-3438) with the necessary approach work, on TR 302 (E 1800TH St.) approximately 0.75 miles south of Coatsburg in Gilmer Road District, and is on the State of Illinois' Township Bridge Program; and


WHEREAS, the following was the only bid:


County Contractors Inc., Quincy, Illinois
Gilmer Road District, Section 21-09113-00-BR: \$382,671.50


WHEREAS, your Committee with the approval of the Illinois Department of Transportation recommends that the contract be awarded to County Contractors Inc., Quincy, Illinois, on their bid for the above project.

NOW THEREFORE BE IT RESOLVED, that the County Board of Adams County does hereby concur on the award of the contract to County Contractors Inc., Quincy, Illinois, on the above project and authorizes the Adams County Board Chairman to sign the contract.

Respectfully submitted,







Adams County Transportation, Building,
& Technology Committee

RESOLUTION 2022-06-501-021

By the Adams County Transportation, Building & Technology Committee

TO THE HONORABLE ADAMS COUNTY BOARD

Ladies and Gentlemen:


WHEREAS, your Committee, with the approval of the Illinois Department of Transportation, advertised for bids and held letting on June 7, 2022 for the asphalt resurfacing of 1.031 miles of TR 89 (N 2400th Ave) in Camp Point Road District with Road District Motor Fuel Tax Funds; and


WHEREAS, the following was the only bid:


Diamond Construction Company, Quincy, Illinois
Camp Point Road District, Section 22-03110-02-RS - \$209,387.50.

WHEREAS, your Committee with the approval of the Illinois Department of Transportation recommends that the contract be awarded to Diamond Construction Company on their bid for the above project.

NOW, THEREFORE BE IT RESOLVED, that the County Board of Adams County does hereby concur in the award of the contract to Diamond Construction Company on their bid for the above project and authorizes the Adams County Board Chairman to sign the contract.

Respectfully submitted,






Adams County Transportation, Building & Technology Committee

RESOLUTION 2022-06-501-022

By the Adams County Transportation, Building & Technology Committee

TO THE HONORABLE ADAMS COUNTY BOARD

Ladies and Gentlemen:


WHEREAS, your Committee, with the approval of the Illinois Department of Transportation, advertised for bids and held letting on June 7, 2022 for the asphalt resurfacing of 0.332 miles of FAS 1604 (Columbus Road) in Ellington Road District with Road District Motor Fuel Tax Funds; and


WHEREAS, the following was the only bid:


Diamond Construction Company, Quincy, Illinois
Ellington Road District, Section 22-07109-01-RS - \$240,243.75.

WHEREAS, your Committee with the approval of the Illinois Department of Transportation recommends that the contract be awarded to Diamond Construction Company on their bid for the above project.

NOW, THEREFORE BE IT RESOLVED, that the County Board of Adams County does hereby concur in the award of the contract to Diamond Construction Company on their bid for the above project and authorizes the Adams County Board Chairman to sign the contract.

Respectfully submitted,






Adams County Transportation, Building & Technology Committee



RESOLUTION NO. 2022-06-001-028

RESOLUTION TO AMMENDED THE ADAMS COUNTY CODE SECTION 1-11-1
SUBSECTION A: APPLICABILITY AND AUTHORITY

WHEREAS, the Adams County Board governs under, in part, the Adams County Code of Ordinances; and,

WHEREAS, the Adams County Board at its May 10th, 2022 Meeting moved to request the Legislative and Judicial Committee of the County Board review and omit all County Board Mileage Reimbursements regarding attending meetings within the geographical boundaries of the County Of Adams; and,

WHEREAS, under Chapter Eleven, Section 1-1(a), of the Adams County Code outlines the applicability and authority of mileage reimbursements; and,

WHEREAS, the Legislative and Judicial Committee has reviewed the current language of the County Code Book in Section 1-11-1 (a); and,

NOW, THEREFORE, BE IT RESOLVED, that we the Adams County Board do hereby resolve to adopt the revisions, attached as "Resolution No. 2022-06-001-028 Attachment", of the County Code of Ordinances in Chapter One, Article Eleven, Division One – TRAVEL, LIVING AND MEAL EXPENSES – and, let it be further resolved that these changes have been endorsed by the Legislative and Judicial Committee.

Passed by the Board of Adams County this 14 day of June, 2022.

ATTEST:

[Handwritten signature]

COUNTY CLERK



[Handwritten signature]

CHAIRMAN OF THE BOARD

YAYS	<u>19</u>
NAYS	<u>0</u>
PRESENT	<u>0</u>
ABSTAIN	<u>0</u>
ABSENT	<u>2</u>

“RESOLUTION NUMBER 2022-06-001-028 ATTACHMENT”

CURRENT:

ARTICLE XI – TRAVEL, LIVING AND MEAL EXPENSES

1-11-1 APPLICABILITY AND AUTHORITY

- (a) All members of the County Board, County Officials, and County Employees shall comply with the procedure set forth below in order to be reimbursed for travel, living and meal expenses, which may be incurred within or out of the County of Adams, but must be necessary and related to the conduct of County business. All members of the County Board shall only be eligible for mileage reimbursement for distances traveled greater than five (5) miles from their residential address on file in the Adams County Clerk’s office for the purpose of attending to County Board business.
- (b) Department Heads are responsible for planning the specific travel and educational needs of their departments. They shall request sufficient funds for these purposes plus the incidental daily travel needs of their departments when submitting their annual budget request. Passage of the budget by the County Board shall constitute authority to the Department Head to implement those plans. Travel and meal expenses incurred in the conduct of County business shall be reimbursed upon submittal of proper receipts and appropriate committee approval.

(NEXT PAGE)

REVISED LANGUAGE:**ARTICLE XI – TRAVEL, LIVING AND MEAL EXPENSES****1-11-1 APPLICABILITY AND AUTHORITY**

- (c) All members of the County Board, County Officials, and County Employees shall comply with the procedure set forth below in order to be reimbursed for travel, living and meal expenses, which may be incurred within or out of the County of Adams, but must be necessary and related to the conduct of County business. ~~All members of the County Board shall only be eligible for mileage reimbursement for distances traveled greater than five (5) miles from their residential address on file in the Adams County Clerk's office for the purpose of attending to County Board business.~~ All members of the Adams County Board shall not be eligible for mileage reimbursement for any distances travel for meetings pertaining to the business of the County Board, Committees, and/or meetings located inside the geographic boundaries of the County of Adams.
- (d) Department Heads are responsible for planning the specific travel and educational needs of their departments. They shall request sufficient funds for these purposes plus the incidental daily travel needs of their departments when submitting their annual budget request. Passage of the budget by the County Board shall constitute authority to the Department Head to implement those plans. Travel and meal expenses incurred in the conduct of County business shall be reimbursed upon submittal of proper receipts and appropriate committee approval.

APPLICATION FOR AN OUTDOOR PYROTECHNIC DISPLAY PERMIT

PART A – DISPLAY SPONSOR INFORMATION

Display Sponsor's Name: BAILEY PARK DIST. CAMP POINT, IL.	Telephone Number : 217-842-5234
Address: BAILEY PARK 115 E WOOD ST. CAMP POINT, IL.	Cell Phone:

ADAMS COUNTY CLERK

MAY 27 2022

RECEIVED

PART B – PYROTECHNIC DISTRIBUTOR INFORMATION

Pyrotechnic Distributor's Name: FIREWORKS AUTHORITY		OSFM License: 3IL-00151-1B-01306
Address: 1515 KENTUCKY - QUINCY, IL-62301		Telephone Number: 217-257-7400
Location Where Fireworks Stored: DELIVERED DAY OF EVENT		Storage Dates:
Lead Pyrotechnic Operator's Name: DICK KINSCHERF		OSFM License: IL18-0-00177-01481
Assistant's Names	Date of Birth	License No. (if any)
DAVE YUCHS	9-10-61	IL18-0-00177-01483
Liability Insurance: (not less than \$1,000,000.00)		
Name and Address of Insurer: BURNS & WILCOX LTD. - O'BRIEN INS. 104 E. STATE, CAMP POINT, IL		Telephone Number: 217-593-6504
Policy Number:		Coverage Dates:
Type of Coverage: \$2M GENERAL LIABILITY		
List Type, Size and Approximate Number of Fireworks to be Displayed: (If you need more space, please attach a separate sheet of paper.)		
3", 4", 5", 6"		

PART C – DISPLAY INFORMATION

Display Location: <i>BAILEY PARK - CAMP POINT, IL.</i>	
Property Owner's Name: <i>VILLAGE OF CAMP POINT</i>	Telephone Number: <i>217-842-5234</i>
Owner's Address (if different than Display Location):	
Date of Display: <i>7/4/22</i>	Time of Display: <i>9:30</i>
Alternative Date: <i>7/9/22</i>	Time of Alternative Display:
By signing below, the Owner of the property on which the Outdoor Pyrotechnic Display will take place, hereby authorizes the Display Sponsor and the Pyrotechnic Distributor to perform the Outdoor Pyrotechnic Display on said property: Signature:	

PART D – SITE INSPECTION INFORMATION

Answer the following questions:	Yes	No
<i>FIRETRUCK ON SITE</i> Is distance to any fire hydrant or water supply greater than 600'?	X	
Is display area clear from overhead obstructions?	X	
Have provisions been made to keep the public out of the display area?	X	
Is a hospital, nursing home, or other institution within 600' of the display site?		X
Have provisions been made for on-site fire protection during the display?	X	
Has a diagram of the display site been attached to this application?	X	
Identify the largest mortar size (in inches) you intend to use.	<i>6"</i>	
Identify the minimum secured diameter of the display site (in feet) based on the largest mortar size.	<i>720'</i>	

PART E – FIRE DEPARTMENT AUTHORIZATION (Completed by Fire Department)

Department Name: <i>CAMP POINT FIRE DEPT</i>		Telephone Number: <i>217-842-5234</i>	
Department Address: <i>115 E WOOD, CAMP POINT</i>			
Based on review of the Display Site, the provided Diagram, and this application:		Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Have you verified the answers the applicant has given to Part D of this application?		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Will the performance of the described Outdoor Pyrotechnic Display at the planned display site be hazardous to property or endanger any person?		<input type="checkbox"/>	<input checked="" type="checkbox"/>
By signing below, the Fire Chief of the above-identified fire jurisdiction, or his or her designee, hereby acknowledges that he or she inspected the Display Site:			
Signature: <i>Mark Bockhold</i>			
Print Name: <i>MARK BOCKHOLD</i>		Date: <i>5-27-22</i>	

Bailey Park Shoot Site and Road Block Positions





Office of the State Fire Marshal
 Pyrotechnic Licensing Division
 1035 Stevenson Drive
 Springfield, IL 62703-4259

OUTDOOR PROFESSIONAL DISPLAY SITE CHECKLIST

PART A – DISPLAY INFORMATION

Name of Company: Fireworks Authority License No.: 3IL-00151-18-01306
 Name of Lead Operator: DICK KINSCHERF License No.: IL18-0-0077-01481
 Location of Display: BAILLY PARK - CAMP POINT
 Venue Contact: AUSTIN KESTNER 217-842-5234
 Name, Address and Telephone Number: JOHN HIBBERT 217-593-6819
115 E WOOD CAMP POINT, IL.
 Date of Display: 7/4/22 Alternative Display Date: 7/9/22

<u>Assistants Names</u>	<u>Date of Birth</u>	<u>License No. (If Any)</u>
<u>DAVE YECHE</u>	<u>9-10-61</u>	<u>IL18-0-0077-01483</u>

PART B – DISPLAY SITE SELECTION/MINIMUM DISTANCES

- Did the operator provide you a copy of the Display Site plan? The display site plan must include the dimensions and locations of the discharge site, the fallout area, and identify the spectator viewing area and parking areas which must be located outside of the display site. The associated separation distances must also be shown.
- Identify the largest mortar size in inches: 6"
- The minimum display site size required to conduct the display is based on the size of the largest mortar. To determine the minimum area for the display site, go to Table 1 and read the number next to size of the largest mortar identified above:

TABLE 1	
Mortar Size (in inches)	Minimum Secured Diameter of the Site (in feet)
< 3	280
3	420
4	560
5	700
6	840
7	980
8	1120
10	1400
12	1680

Where unusual or safety-threatening conditions exist, the authority having jurisdiction shall be permitted to increase the required separation distances as it deems necessary.

- Spectators and spectator parking areas must be located outside of the display site.
- Dwellings, buildings, and structures are not permitted to be located within the display site without the approval of the authority having jurisdiction and the owner and the dwelling, building, or structure is unoccupied during the display. The building may remain occupied if the structure provides protection through substantial noncombustible or fire-resistant construction for the occupants.
- Fire protection personnel and their vehicles and other emergency response personnel and vehicles shall remain at or beyond the perimeter of the display site during the actual firing of the display.
- Review sample Display Site Plan at end of this document.

PART C – LOCATION OF DISPLAY

- Mortars shall be placed at the approximate center of the display site.
- There shall not be any overhead object over the mortars or within 25 ft of the trajectory of any aerial shells.
- Ground display pieces shall be located a minimum distance of 75 ft from spectator viewing areas and parking areas.
- Exception: For ground pieces with greater hazard potential (such as large wheels with powerful drivers, and items employing large salutes) or all roman candles and multishot devices, the minimum separation distance shall be increased to 125 ft (38 m).

PART D - MORTARS

- Mortars shall be positioned and spaced so that shells are propelled away from spectators, over the fallout area, and to afford maximum protection to the shooter and loader. Under no circumstances shall mortars be angled toward the spectator viewing area.

- Mortar racks or bundles shall be constructed in a thorough and workmanlike manner to be capable of holding multiple mortars in position during normal functioning. Mortar racks or bundles that are not inherently stable shall be secured or braced to stabilize them. Stabilization shall be accomplished by using stakes, legs, A-frames, side-boards, or equivalent means.

PART E - GROUND DISPLAY

- To the extent that it is practical, all ground display pieces shall be positioned outside the discharge area of aerial displays.
 - Exception: Where aerial shells have been preloaded, ground display pieces shall be permitted to be located in that discharge area.
- Dry grass or combustible materials located beneath ground display pieces shall be wet down before the display if they are in sufficient quantity to be a fire hazard.
- Poles for ground display pieces shall be securely placed and firmly braced so that they do not fall over during functioning of the fireworks device.

PART F - DISPLAY SITE SAFETY

- The authority having jurisdiction and the operator shall meet and determine the level of fire protection required.
- During the period before the display, where pyrotechnic materials are present, unescorted public access to the site shall not be permitted.
- Are there enough monitors positioned around the discharge site to prevent spectators or any other unauthorized persons from entering the discharge site? The discharge site must be restricted throughout the display and until the discharge site has been inspected after the display. The authority having jurisdiction may approve delineators or barriers to be used in crowd control.
- Does the display have at least two spotters, or preferably more, assigned to watch the flight and behavior of aerial shells and other aerial fireworks to verify that they are functioning as intended. If any unsafe condition is detected, such as hazardous debris falling into the audience, the spotter shall signal the shooter to cease firing until the unsafe condition is corrected. The spotters shall be in direct communication with the shooter during the conduct of the display, with an effective means of informing the shooter of any hazardous condition.

PART G - DISCHARGE AREA SAFETY

- During the firing of the display, all personnel in the discharge site shall wear head protection, eye protection, hearing protection, and foot protection and shall wear cotton, wool, or similarly flame-resistant, long-sleeved, long-legged clothing. Personal protective equipment, as necessary, shall be worn by the operator and assistants during the setup and cleanup of the display.
- No person shall ever place any body part over the mortar during the loading and firing of a display until mortars have been checked for the absence of any shells following the display.

- Smoking materials, matches, lighters or open flame devices shall not be allowed within 50 ft (15 m) of any area where fireworks or other pyrotechnic materials are present.
 - Exception: Devices such as fuses, portfires, and torches shall be permitted to be used to ignite fireworks.
- No person shall be allowed in the discharge area while under the influence of alcohol, narcotics, or medication that could adversely affect judgment, mobility, or stability.
- The first shell fired shall be observed carefully to determine that its trajectory is such that the shell functions over the fallout area and that any hazardous debris or unexploded shells land in the fallout area. The display shall be interrupted and the mortars shall be reangled or repositioned as necessary for safety at any time during an outdoor fireworks display.

PART H - HALTING DISPLAY

- Wherever, in the opinion of the authority having jurisdiction or the operator, any hazardous condition exists, the fireworks display shall be postponed until the condition is corrected. Such conditions include but are not limited to the following:
 - The lack of crowd control,
 - If high winds, precipitation, or other adverse weather conditions prevail, or
 - If any unsafe condition is detected, such as hazardous debris falling into the audience, the spotter shall signal the shooter to cease firing until the unsafe condition is corrected.
- In the event of a condition arising requiring the entry of fire protection or other emergency response personnel into the fallout area or security perimeter, the display shall be halted until the situation is resolved and the area is once again clear.

PART I - POST DISPLAY INSPECTION

- Following the display, the firing crew shall conduct an inspection of the fallout area for the purpose of locating any unexploded aerial shells or live components. This inspection shall be conducted before any public access to the site shall be permitted.
- Where fireworks are displayed at night, a search of the fallout area shall be made immediately after the display and at first light the following morning by the operator or designated personnel acceptable to the authority having jurisdiction.

APPLICATION FOR AN OUTDOOR PYROTECHNIC DISPLAY PERMIT

PART A – DISPLAY SPONSOR INFORMATION

Display Sponsor's Name: <i>OAKWOOD ACRES CAMPGROUND</i>	Telephone Number : <i>217-242-5643</i>
Address: <i>2124 E. 1300th PLACE MENDON IL</i>	Cell Phone: <i>ANDY FRAZIER</i>

ADAMS COUNTY CLERK

MAY 27 2022

RECEIVED

PART B – PYROTECHNIC DISTRIBUTOR INFORMATION

Pyrotechnic Distributor's Name: <i>FIREWORKS AUTHORITY</i>		OSFM License: <i>3IL-001-51-1B-0306</i>
Address: <i>1515 KENTUCKY - QUINCY IL</i>		Telephone Number: <i>217-257-7400</i>
Location Where Fireworks Stored: <i>DELIVERED DAY OF EVENT</i>		Storage Dates: <i>—</i>
Lead Pyrotechnic Operator's Name: <i>JAY MAYNARD</i>		OSFM License: <i>IL18-0-00177-01480</i>
Assistant's Names	Date of Birth	License No. (if any)
<i>PAUL ANDERSON</i>	<i>6-13-55</i>	<i>IL18-0-00177-01490</i>
Liability Insurance: (not less than \$1,000,000.00)		
Name and Address of Insurer: <i>BROWN & WILCOX LTD. - OBRIEN INS 104 E. STATE - CAMP POINT, IL</i>		Telephone Number: <i>217-593-6504</i>
Policy Number:		Coverage Dates:
Type of Coverage: <i>\$2M GENERAL LIABILITY</i>		
List Type, Size and Approximate Number of Fireworks to be Displayed: (If you need more space, please attach a separate sheet of paper.)		
<i>CAKE BOXES 3", 4", 5", 6" SHELLS</i>		

PART C – DISPLAY INFORMATION

Display Location: OAKWOOD ACRES CAMPGROUND 2124 E. 1300th - MENDOTA IL	
Property Owner's Name: ANDY HAZLER	Telephone Number: 217-242-5643
Owner's Address (if different than Display Location): —	
Date of Display: 7/3/22	Time of Display: 9:30
Alternative Date: 7/10/22	Time of Alternative Display: 9:30
By signing below, the Owner of the property on which the Outdoor Pyrotechnic Display will take place, hereby authorizes the Display Sponsor and the Pyrotechnic Distributor to perform the Outdoor Pyrotechnic Display on said property: Signature:	

PART D – SITE INSPECTION INFORMATION

Answer the following questions:	Yes	No
Is distance to any fire hydrant or water supply greater than 600'? <i>FIRE TRUCK ON SITE</i>		✓
Is display area clear from overhead obstructions?	✓	
Have provisions been made to keep the public out of the display area?	✓	
Is a hospital, nursing home, or other institution within 600' of the display site?	✓	
Have provisions been made for on-site fire protection during the display?		✓
Has a diagram of the display site been attached to this application?	✓	
Identify the largest mortar size (in inches) you intend to use.	10"	
Identify the minimum secured diameter of the display site (in feet) based on the largest mortar size.	720'	

PART E – FIRE DEPARTMENT AUTHORIZATION (Completed by Fire Department)

Department Name: <i>MENDON FIRE DEPT</i>		Telephone Number: <i>217-936-2724</i>		
Department Address:				
Based on review of the Display Site, the provided Diagram, and this application:			Yes	No
Have you verified the answers the applicant has given to Part D of this application?				
Will the performance of the described Outdoor Pyrotechnic Display at the planned display site be hazardous to property or endanger any person?				
By signing below, the Fire Chief of the above-identified fire jurisdiction, or his or her designee, hereby acknowledges that he or she inspected the Display Site:				
Signature:				
Print Name: <i>Rob Simmons</i>			Date: <i>5/23/22</i>	

Google Maps

Whispering Oaks Campgrounds

Oakwood Acres Shooting Site-July 3rd



Imagery ©2020 Maxar Technologies, USDA Farm Service Agency, Map data ©2020 100 ft



Office of the State Fire Marshal
Pyrotechnic Licensing Division
1035 Stevenson Drive
Springfield, IL 62703-4259

OUTDOOR PROFESSIONAL DISPLAY SITE CHECKLIST

PART A – DISPLAY INFORMATION

Name of Company: FIREWORKS AUTHORITY License No.: 3IL-001-51-1B-01806

Name of Lead Operator: JAY MAYNARD License No.: IL18-0-00177-01480

Location of Display: OAKWOOD ACRES CAMP GROUND, MENDON, ADAMS COUNTY

Venue Contact : Name, Address and Telephone Number ANDY FRAZIER, 2124 E. 1300th PLACE, MENDON, IL. 217-242-5643

Date of Display: 7/3/22 Alternative Display Date: 7/10/22

<u>Assistants Names</u>	<u>Date of Birth</u>	<u>License No. (If Any)</u>
<u>PAUL ANDERSON</u>	<u>6-13-55</u>	<u>IL18-0-0177-01490</u>
<u>DAVE YUCHS</u>	<u>9-10-61</u>	<u>IL18-0-0177-01483</u>

PART B – DISPLAY SITE SELECTION/MINIMUM DISTANCES

- Did the operator provide you a copy of the Display Site plan? The display site plan must include the dimensions and locations of the discharge site, the fallout area, and identify the spectator viewing area and parking areas which must be located outside of the display site. The associated separation distances must also be shown.
- Identify the largest mortar size in inches: 6"
- The minimum display site size required to conduct the display is based on the size of the largest mortar. To determine the minimum area for the display site, go to Table 1 and read the number next to size of the largest mortar identified above:

Mortar Size (in inches)	Minimum Secured Diameter of the Site (in feet)
< 3	280
3	420
4	560
5	700
6	840
7	980
8	1120
10	1400
12	1680

Where unusual or safety-threatening conditions exist, the authority having jurisdiction shall be permitted to increase the required separation distances as it deems necessary.

- Spectators and spectator parking areas must be located outside of the display site.
- Dwellings, buildings, and structures are not permitted to be located within the display site without the approval of the authority having jurisdiction and the owner and the dwelling, building, or structure is unoccupied during the display. The building may remain occupied if the structure provides protection through substantial noncombustible or fire-resistant construction for the occupants.
- Fire protection personnel and their vehicles and other emergency response personnel and vehicles shall remain at or beyond the perimeter of the display site during the actual firing of the display.
- Review sample Display Site Plan at end of this document.

PART C – LOCATION OF DISPLAY

- Mortars shall be placed at the approximate center of the display site.
- There shall not be any overhead object over the mortars or within 25 ft of the trajectory of any aerial shells.
- Ground display pieces shall be located a minimum distance of 75 ft from spectator viewing areas and parking areas.
- Exception: For ground pieces with greater hazard potential (such as large wheels with powerful drivers, and items employing large salutes) or all roman candles and multishot devices, the minimum separation distance shall be increased to 125 ft (38 m).

PART D - MORTARS

- Mortars shall be positioned and spaced so that shells are propelled away from spectators, over the fallout area, and to afford maximum protection to the shooter and loader. Under no circumstances shall mortars be angled toward the spectator viewing area.

- Mortar racks or bundles shall be constructed in a thorough and workmanlike manner to be capable of holding multiple mortars in position during normal functioning. Mortar racks or bundles that are not inherently stable shall be secured or braced to stabilize them. Stabilization shall be accomplished by using stakes, legs, A-frames, side-boards, or equivalent means.

PART E - GROUND DISPLAY

- To the extent that it is practical, all ground display pieces shall be positioned outside the discharge area of aerial displays.
- Exception: Where aerial shells have been preloaded, ground display pieces shall be permitted to be located in that discharge area.
- Dry grass or combustible materials located beneath ground display pieces shall be wet down before the display if they are in sufficient quantity to be a fire hazard.
- Poles for ground display pieces shall be securely placed and firmly braced so that they do not fall over during functioning of the fireworks device.

PART F - DISPLAY SITE SAFETY

- The authority having jurisdiction and the operator shall meet and determine the level of fire protection required.
- During the period before the display, where pyrotechnic materials are present, unescorted public access to the site shall not be permitted.
- Are there enough monitors positioned around the discharge site to prevent spectators or any other unauthorized persons from entering the discharge site? The discharge site must be restricted throughout the display and until the discharge site has been inspected after the display. The authority having jurisdiction may approve delineators or barriers to be used in crowd control.
- Does the display have at least two spotters, or preferably more, assigned to watch the flight and behavior of aerial shells and other aerial fireworks to verify that they are functioning as intended. If any unsafe condition is detected, such as hazardous debris falling into the audience, the spotter shall signal the shooter to cease firing until the unsafe condition is corrected. The spotters shall be in direct communication with the shooter during the conduct of the display, with an effective means of informing the shooter of any hazardous condition.

PART G - DISCHARGE AREA SAFETY

- During the firing of the display, all personnel in the discharge site shall wear head protection, eye protection, hearing protection, and foot protection and shall wear cotton, wool, or similarly flame-resistant, long-sleeved, long-legged clothing. Personal protective equipment, as necessary, shall be worn by the operator and assistants during the setup and cleanup of the display.
- No person shall ever place any body part over the mortar during the loading and firing of a display until mortars have been checked for the absence of any shells following the display.

- Smoking materials, matches, lighters or open flame devices shall not be allowed within 50 ft (15 m) of any area where fireworks or other pyrotechnic materials are present.
- Exception: Devices such as fuses, portfires, and torches shall be permitted to be used to ignite fireworks.
- No person shall be allowed in the discharge area while under the influence of alcohol, narcotics, or medication that could adversely affect judgment, mobility, or stability.
- The first shell fired shall be observed carefully to determine that its trajectory is such that the shell functions over the fallout area and that any hazardous debris or unexploded shells land in the fallout area. The display shall be interrupted and the mortars shall be reangled or repositioned as necessary for safety at any time during an outdoor fireworks display.


PART H - HALTING DISPLAY

- Wherever, in the opinion of the authority having jurisdiction or the operator, any hazardous condition exists, the fireworks display shall be postponed until the condition is corrected. Such conditions include but are not limited to the following:
- The lack of crowd control,
 - If high winds, precipitation, or other adverse weather conditions prevail, or
 - If any unsafe condition is detected, such as hazardous debris falling into the audience, the spotter shall signal the shooter to cease firing until the unsafe condition is corrected.
- In the event of a condition arising requiring the entry of fire protection or other emergency response personnel into the fallout area or security perimeter, the display shall be halted until the situation is resolved and the area is once again clear.

PART I - POST DISPLAY INSPECTION

- Following the display, the firing crew shall conduct an inspection of the fallout area for the purpose of locating any unexploded aerial shells or live components. This inspection shall be conducted before any public access to the site shall be permitted.
- Where fireworks are displayed at night, a search of the fallout area shall be made immediately after the display and at first light the following morning by the operator or designated personnel acceptable to the authority having jurisdiction.

DISPLAY SITE PLAN



APPLICATION FOR AN OUTDOOR PYROTECHNIC DISPLAY PERMIT

PART A – DISPLAY SPONSOR INFORMATION

Display Sponsor's Name: <i>SHERIDAN SWIM CLUB</i>	Telephone Number : <i>217-224-1051</i>
Address: <i>3915 SOUTH 24th QUINCY IL 62301</i>	Cell Phone: <i>217-430-9168 MOLLY TERSTEGGE</i>

ADAMS COUNTY CLERK

MAY 27 2022

RECEIVED

PART B – PYROTECHNIC DISTRIBUTOR INFORMATION

Pyrotechnic Distributor's Name: <i>FIREWORKS AUTHORITY</i>		OSFM License:
Address: <i>1515 KENTUCKY - QUINCY IL</i>		Telephone Number: <i>217-257-7400</i>
Location Where Fireworks Stored: <i>DELIVERED DAY OF EVENT</i>		Storage Dates:
Lead Pyrotechnic Operator's Name: <i>RICK MEEHAN</i>		OSFM License: <i>FL18-0-00177-01482</i>
Assistant's Names	Date of Birth	License No. (if any)
<i>BRANDON MEEHAN</i>	<i>3-15-85</i>	<i>IL18-0-00177-01489</i>
Liability Insurance: (not less than \$1,000,000.00)		
Name and Address of Insurer: <i>BROWN + WILCOX LTD - O'BRIEN INS. 104 E. STATE, CAMP POINT, IL</i>		Telephone Number: <i>217-593-6504</i>
Policy Number:		Coverage Dates:
Type of Coverage: <i>\$2M GENERAL LIABILITY</i>		
List Type, Size and Approximate Number of Fireworks to be Displayed: (If you need more space, please attach a separate sheet of paper.)		
<i>3", 4", 5", 6" SHELLS</i>		


PART C – DISPLAY INFORMATION

Display Location: <i>SHERIDAN SWIM CLUB</i>	
Property Owner's Name: <i>SHERIDAN ASSOC.</i>	Telephone Number: <i>217-224-1051</i>
Owner's Address (if different than Display Location):	
Date of Display: <i>7-4-22</i>	Time of Display: <i>9:30</i>
Alternative Date: <i>7-11-22</i>	Time of Alternative Display: <i>9:30</i>
By signing below, the Owner of the property on which the Outdoor Pyrotechnic Display will take place, hereby authorizes the Display Sponsor and the Pyrotechnic Distributor to perform the Outdoor Pyrotechnic Display on said property:	
Signature:	

PART D – SITE INSPECTION INFORMATION

Answer the following questions:	Yes	No
<i>FIRE TRUCK ON SITE</i> Is distance to any fire hydrant or water supply greater than 600'?	X	
Is display area clear from overhead obstructions?	X	
Have provisions been made to keep the public out of the display area?		X
Is a hospital, nursing home, or other institution within 600' of the display site?		X
Have provisions been made for on-site fire protection during the display?	X	
Has a diagram of the display site been attached to this application?	X	
Identify the largest mortar size (in inches) you intend to use.	<i>6"</i>	
Identify the minimum secured diameter of the display site (in feet) based on the largest mortar size.	<i>720'</i>	

PART E – FIRE DEPARTMENT AUTHORIZATION (Completed by Fire Department)

Department Name: TRI TOWNSHIP		Telephone Number: 217.222-2142	
Department Address: 227 S. 54 th STREET, QUINCY, IL. 62305			
Based on review of the Display Site, the provided Diagram, and this application:		Yes	No
Have you verified the answers the applicant has given to Part D of this application?		X	
Will the performance of the described Outdoor Pyrotechnic Display at the planned display site be hazardous to property or endanger any person?			X
By signing below, the Fire Chief of the above-identified fire jurisdiction, or his or her designee, hereby acknowledges that he or she inspected the Display Site:			
Signature: 			
Print Name: TOM BENTLEY		Date: 5/25/22	

ATTACHMENT B-4

Google Maps



Imagery ©2021 Maxar Technologies, USDA Farm Service Agency, Map data ©2021 100 ft



Office of the State Fire Marshal
 Pyrotechnic Licensing Division
 1035 Stevenson Drive
 Springfield, IL 62703-4259

OUTDOOR PROFESSIONAL DISPLAY SITE CHECKLIST

PART A – DISPLAY INFORMATION

Name of Company: FIREWORKS AUTHORITY License No.: 3IL-001-SI-1B-0306
 Name of Lead Operator: RICK MEEHAN License No.: IL18-0-00177-01482
 Location of Display: SHERIDAN SWIM CLUB
3915 SOUTH 24th QUINCY
 Venue Contact: MOLLY TERSTEGGE - 217-430-9166
 Name, Address and Telephone Number: 3915 S. 24th, QUINCY IL 62305
 Date of Display: 7/4/22 Alternative Display Date: 7-11-22

<u>Assistants Names</u>	<u>Date of Birth</u>	<u>License No. (If Any)</u>
<u>BRANDON MEEHAN</u>	<u>3-15-88</u>	<u>IL18-0-00177-01489</u>

PART B – DISPLAY SITE SELECTION/MINIMUM DISTANCES

- Did the operator provide you a copy of the Display Site plan? The display site plan must include the dimensions and locations of the discharge site, the fallout area, and identify the spectator viewing area and parking areas which must be located outside of the display site. The associated separation distances must also be shown.
- Identify the largest mortar size in inches: 5"
- The minimum display site size required to conduct the display is based on the size of the largest mortar. To determine the minimum area for the display site, go to Table 1 and read the number next to size of the largest mortar identified above:

Mortar Size (in inches)	Minimum Secured Diameter of the Site (in feet)
< 3	280
3	420
4	560
5	700
6	840
7	980
8	1120
10	1400
12	1680

Where unusual or safety-threatening conditions exist, the authority having jurisdiction shall be permitted to increase the required separation distances as it deems necessary.

- Spectators and spectator parking areas must be located outside of the display site.
- Dwellings, buildings, and structures are not permitted to be located within the display site without the approval of the authority having jurisdiction and the owner and the dwelling, building, or structure is unoccupied during the display. The building may remain occupied if the structure provides protection through substantial noncombustible or fire-resistant construction for the occupants.
- Fire protection personnel and their vehicles and other emergency response personnel and vehicles shall remain at or beyond the perimeter of the display site during the actual firing of the display.
- Review sample Display Site Plan at end of this document.

PART C – LOCATION OF DISPLAY

- Mortars shall be placed at the approximate center of the display site.
- There shall not be any overhead object over the mortars or within 25 ft of the trajectory of any aerial shells.
- Ground display pieces shall be located a minimum distance of 75 ft from spectator viewing areas and parking areas.
 - Exception: For ground pieces with greater hazard potential (such as large wheels with powerful drivers, and items employing large salutes) or all roman candles and multishot devices, the minimum separation distance shall be increased to 125 ft (38 m).

PART D - MORTARS

- Mortars shall be positioned and spaced so that shells are propelled away from spectators, over the fallout area, and to afford maximum protection to the shooter and loader. Under no circumstances shall mortars be angled toward the spectator viewing area.

- Mortar racks or bundles shall be constructed in a thorough and workmanlike manner to be capable of holding multiple mortars in position during normal functioning. Mortar racks or bundles that are not inherently stable shall be secured or braced to stabilize them. Stabilization shall be accomplished by using stakes, legs, A-frames, side-boards, or equivalent means.

PART E - GROUND DISPLAY

- To the extent that it is practical, all ground display pieces shall be positioned outside the discharge area of aerial displays.
 - Exception: Where aerial shells have been preloaded, ground display pieces shall be permitted to be located in that discharge area.
- Dry grass or combustible materials located beneath ground display pieces shall be wet down before the display if they are in sufficient quantity to be a fire hazard.
- Poles for ground display pieces shall be securely placed and firmly braced so that they do not fall over during functioning of the fireworks device.

PART F - DISPLAY SITE SAFETY

- The authority having jurisdiction and the operator shall meet and determine the level of fire protection required.
- During the period before the display, where pyrotechnic materials are present, unescorted public access to the site shall not be permitted.
- Are there enough monitors positioned around the discharge site to prevent spectators or any other unauthorized persons from entering the discharge site? The discharge site must be restricted throughout the display and until the discharge site has been inspected after the display. The authority having jurisdiction may approve delineators or barriers to be used in crowd control.
- Does the display have at least two spotters, or preferably more, assigned to watch the flight and behavior of aerial shells and other aerial fireworks to verify that they are functioning as intended. If any unsafe condition is detected, such as hazardous debris falling into the audience, the spotter shall signal the shooter to cease firing until the unsafe condition is corrected. The spotters shall be in direct communication with the shooter during the conduct of the display, with an effective means of informing the shooter of any hazardous condition.

PART G - DISCHARGE AREA SAFETY

- During the firing of the display, all personnel in the discharge site shall wear head protection, eye protection, hearing protection, and foot protection and shall wear cotton, wool, or similarly flame-resistant, long-sleeved, long-legged clothing. Personal protective equipment, as necessary, shall be worn by the operator and assistants during the setup and cleanup of the display.
- No person shall ever place any body part over the mortar during the loading and firing of a display until mortars have been checked for the absence of any shells following the display.

- Smoking materials, matches, lighters or open flame devices shall not be allowed within 50 ft (15 m) of any area where fireworks or other pyrotechnic materials are present.
 - Exception: Devices such as fusees, portfires, and torches shall be permitted to be used to ignite fireworks.
- No person shall be allowed in the discharge area while under the influence of alcohol, narcotics, or medication that could adversely affect judgment, mobility, or stability.
- The first shell fired shall be observed carefully to determine that its trajectory is such that the shell functions over the fallout area and that any hazardous debris or unexploded shells land in the fallout area. The display shall be interrupted and the mortars shall be reangled or repositioned as necessary for safety at any time during an outdoor fireworks display.


PART H - HALTING DISPLAY

- Wherever, in the opinion of the authority having jurisdiction or the operator, any hazardous condition exists, the fireworks display shall be postponed until the condition is corrected. Such conditions include but are not limited to the following:
 - The lack of crowd control,
 - If high winds, precipitation, or other adverse weather conditions prevail, or
 - If any unsafe condition is detected, such as hazardous debris falling into the audience, the spotter shall signal the shooter to cease firing until the unsafe condition is corrected.
- In the event of a condition arising requiring the entry of fire protection or other emergency response personnel into the fallout area or security perimeter, the display shall be halted until the situation is resolved and the area is once again clear.

PART I - POST DISPLAY INSPECTION

- Following the display, the firing crew shall conduct an inspection of the fallout area for the purpose of locating any unexploded aerial shells or live components. This inspection shall be conducted before any public access to the site shall be permitted.
- Where fireworks are displayed at night, a search of the fallout area shall be made immediately after the display and at first light the following morning by the operator or designated personnel acceptable to the authority having jurisdiction.

DISPLAY SITE PLAN



APPLICATION FOR AN OUTDOOR PYROTECHNIC DISPLAY PERMIT

PART A – DISPLAY SPONSOR INFORMATION

Display Sponsor's Name: <i>SPRING LAKE ASSOC.</i>	Telephone Number : <i>217-222-5255</i>
Address: <i>5210 Club House DR QUINCY, IL. 62305</i>	Cell Phone:

ADAMS COUNTY CLERK

MAY 27 2022

RECEIVED

PART B – PYROTECHNIC DISTRIBUTOR INFORMATION

Pyrotechnic Distributor's Name: <i>FIREWORKS AUTHORITY</i>		OSFM License: <i>3IL-00157-1B-61306</i>
Address: <i>1515 KENTUCKY</i>		Telephone Number: <i>217-257-7400</i>
Location Where Fireworks Stored: <i>DELIVERED DAY OF EVENT</i>		Storage Dates:
Lead Pyrotechnic Operator's Name: <i>DICK KINSCHERF</i>		OSFM License: <i>IL18-0-00177-01481</i>
Assistant's Names	Date of Birth	License No. (if any)
<i>PAUL ANDERSON</i>	<i>6-13-55</i>	<i>IL18-0-00177-01490</i>
Liability Insurance: (not less than \$1,000,000.00)		
Name and Address of Insurer: <i>BURNS & WILCOX LTD - O'BRIEN INS 104 E. STATE, CAMP POINT, IL.</i>		Telephone Number: <i>217-593-6504</i>
Policy Number:		Coverage Dates:
Type of Coverage: <i>\$2M GENERAL LIABILITY</i>		
List Type, Size and Approximate Number of Fireworks to be Displayed: (If you need more space, please attach a separate sheet of paper.)		
<i>CAKE BOXES 3", 4", 5", 6" SHELLS</i>		


PART C – DISPLAY INFORMATION

Display Location: <i>SPRING LAKE C.C.</i>	
Property Owner's Name: <i>SPRING LAKE ASSOC.</i>	Telephone Number: <i>217-222-5250</i>
Owner's Address (if different than Display Location):	
Date of Display: <i>7/2/22</i>	Time of Display: <i>9:30</i>
Alternative Date: <i>7/9/22</i>	Time of Alternative Display: <i>9:30</i>
By signing below, the Owner of the property on which the Outdoor Pyrotechnic Display will take place, hereby authorizes the Display Sponsor and the Pyrotechnic Distributor to perform the Outdoor Pyrotechnic Display on said property:	
Signature:	

PART D – SITE INSPECTION INFORMATION

Answer the following questions:	Yes	No
<i>FIRE TRUCK ON SITE</i> Is distance to any fire hydrant or water supply greater than 600'?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Is display area clear from overhead obstructions?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Have provisions been made to keep the public out of the display area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Is a hospital, nursing home, or other institution within 600' of the display site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Have provisions been made for on-site fire protection during the display?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Has a diagram of the display site been attached to this application?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Identify the largest mortar size (in inches) you intend to use.	<i>6"</i>	
Identify the minimum secured diameter of the display site (in feet) based on the largest mortar size.	<i>720'</i>	

PART E – FIRE DEPARTMENT AUTHORIZATION (Completed by Fire Department)

Department Name: <i>TRI TOWNSHIP</i>		Telephone Number: <i>217-222-2142</i>	
Department Address: <i>227 S. 54th Street, Quincy IL 62305</i>			
Based on review of the Display Site, the provided Diagram, and this application:		Yes	No
Have you verified the answers the applicant has given to Part D of this application?		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Will the performance of the described Outdoor Pyrotechnic Display at the planned display site be hazardous to property or endanger any person?		<input type="checkbox"/>	<input checked="" type="checkbox"/>
By signing below, the Fire Chief of the above-identified fire jurisdiction, or his or her designee, hereby acknowledges that he or she inspected the Display Site:			
Signature: 			
Print Name: <i>Tom Bentley</i>		Date: <i>5/25/22</i>	





Office of the State Fire Marshal
Pyrotechnic Licensing Division
1035 Stevenson Drive
Springfield, IL 62703-4259

OUTDOOR PROFESSIONAL DISPLAY SITE CHECKLIST

PART A – DISPLAY INFORMATION

Name of Company: FireWorks Authority License No.: 3IL-DIS1-1B-01306

Name of Lead Operator: DICK KUNSCHERF License No.: IL18-0-00177-0181

Location of Display: SPRINGLAKE CC

Venue Contact: DANIELLE - GENERAL MANAGER 217-222-5250
Name, Address and Telephone Number: 5210 CLUBHOUSE DR. QUINCY IL 62305

Date of Display: 7/2/22 Alternative Display Date: 7/9/22

<u>Assistants Names</u>	<u>Date of Birth</u>	<u>License No. (If Any)</u>
<u>PAUL ANDERSON</u>	<u>6-13-55</u>	<u>IL18-0-00177-01490</u>

PART B – DISPLAY SITE SELECTION/MINIMUM DISTANCES

- Did the operator provide you a copy of the Display Site plan? The display site plan must include the dimensions and locations of the discharge site, the fallout area, and identify the spectator viewing area and parking areas which must be located outside of the display site. The associated separation distances must also be shown.
- Identify the largest mortar size in inches: ()
- The minimum display site size required to conduct the display is based on the size of the largest mortar. To determine the minimum area for the display site, go to Table 1 and read the number next to size of the largest mortar identified above:

TABLE 1	
Mortar Size (in inches)	Minimum Secured Diameter of the Site (in feet)
< 3	280
3	420
4	560
5	700
6	840
7	980
8	1120
10	1400
12	1680

Where unusual or safety-threatening conditions exist, the authority having jurisdiction shall be permitted to increase the required separation distances as it deems necessary.

- Spectators and spectator parking areas must be located outside of the display site.
- Dwellings, buildings, and structures are not permitted to be located within the display site without the approval of the authority having jurisdiction and the owner and the dwelling, building, or structure is unoccupied during the display. The building may remain occupied if the structure provides protection through substantial noncombustible or fire-resistant construction for the occupants.
- Fire protection personnel and their vehicles and other emergency response personnel and vehicles shall remain at or beyond the perimeter of the display site during the actual firing of the display.
- Review sample Display Site Plan at end of this document.

PART C – LOCATION OF DISPLAY

- Mortars shall be placed at the approximate center of the display site.
- There shall not be any overhead object over the mortars or within 25 ft of the trajectory of any aerial shells.
- Ground display pieces shall be located a minimum distance of 75 ft from spectator viewing areas and parking areas.
 - Exception: For ground pieces with greater hazard potential (such as large wheels with powerful drivers, and items employing large salutes) or all roman candles and multishot devices, the minimum separation distance shall be increased to 125 ft (38 m).

PART D - MORTARS

- Mortars shall be positioned and spaced so that shells are propelled away from spectators, over the fallout area, and to afford maximum protection to the shooter and loader. Under no circumstances shall mortars be angled toward the spectator viewing area.

- Mortar racks or bundles shall be constructed in a thorough and workmanlike manner to be capable of holding multiple mortars in position during normal functioning. Mortar racks or bundles that are not inherently stable shall be secured or braced to stabilize them. Stabilization shall be accomplished by using stakes, legs, A-frames, side-boards, or equivalent means.

PART E - GROUND DISPLAY

- To the extent that it is practical, all ground display pieces shall be positioned outside the discharge area of aerial displays.
 - Exception: Where aerial shells have been preloaded, ground display pieces shall be permitted to be located in that discharge area.
- Dry grass or combustible materials located beneath ground display pieces shall be wet down before the display if they are in sufficient quantity to be a fire hazard.
- Poles for ground display pieces shall be securely placed and firmly braced so that they do not fall over during functioning of the fireworks device.

PART F - DISPLAY SITE SAFETY

- The authority having jurisdiction and the operator shall meet and determine the level of fire protection required.
- During the period before the display, where pyrotechnic materials are present, unescorted public access to the site shall not be permitted.
- Are there enough monitors positioned around the discharge site to prevent spectators or any other unauthorized persons from entering the discharge site? The discharge site must be restricted throughout the display and until the discharge site has been inspected after the display. The authority having jurisdiction may approve delineators or barriers to be used in crowd control.
- Does the display have at least two spotters, or preferably more, assigned to watch the flight and behavior of aerial shells and other aerial fireworks to verify that they are functioning as intended. If any unsafe condition is detected, such as hazardous debris falling into the audience, the spotter shall signal the shooter to cease firing until the unsafe condition is corrected. The spotters shall be in direct communication with the shooter during the conduct of the display, with an effective means of informing the shooter of any hazardous condition.

PART G - DISCHARGE AREA SAFETY

- During the firing of the display, all personnel in the discharge site shall wear head protection, eye protection, hearing protection, and foot protection and shall wear cotton, wool, or similarly flame-resistant, long-sleeved, long-legged clothing. Personal protective equipment, as necessary, shall be worn by the operator and assistants during the setup and cleanup of the display.
- No person shall ever place any body part over the mortar during the loading and firing of a display until mortars have been checked for the absence of any shells following the display.

- Smoking materials, matches, lighters or open flame devices shall not be allowed within 50 ft (15 m) of any area where fireworks or other pyrotechnic materials are present.
- Exception: Devices such as fuses, portfires, and torches shall be permitted to be used to ignite fireworks.
- No person shall be allowed in the discharge area while under the influence of alcohol, narcotics, or medication that could adversely affect judgment, mobility, or stability.
- The first shell fired shall be observed carefully to determine that its trajectory is such that the shell functions over the fallout area and that any hazardous debris or unexploded shells land in the fallout area. The display shall be interrupted and the mortars shall be reangled or repositioned as necessary for safety at any time during an outdoor fireworks display.


PART H - HALTING DISPLAY

- Wherever, in the opinion of the authority having jurisdiction or the operator, any hazardous condition exists, the fireworks display shall be postponed until the condition is corrected. Such conditions include but are not limited to the following:
 - The lack of crowd control,
 - If high winds, precipitation, or other adverse weather conditions prevail, or
 - If any unsafe condition is detected, such as hazardous debris falling into the audience, the spotter shall signal the shooter to cease firing until the unsafe condition is corrected.
- In the event of a condition arising requiring the entry of fire protection or other emergency response personnel into the fallout area or security perimeter, the display shall be halted until the situation is resolved and the area is once again clear.

PART I - POST DISPLAY INSPECTION

- Following the display, the firing crew shall conduct an inspection of the fallout area for the purpose of locating any unexploded aerial shells or live components. This inspection shall be conducted before any public access to the site shall be permitted.
- Where fireworks are displayed at night, a search of the fallout area shall be made immediately after the display and at first light the following morning by the operator or designated personnel acceptable to the authority having jurisdiction.

DISPLAY SITE PLAN



LL 355



RECEIVED

MAY 06 2022

ADAMS COUNTY CLERK

SPECIAL ONE DAY PERMIT REQUEST

FOR THE SALE AT RETAIL OF ALCOHOLIC BEVERAGES

State of Illinois)
County of Adams)

Request in the Name of: GOLDEN FALL FESTIVAL

Event name (if different): _____

Location of Event: GOLDEN WINDMILL

Address: 903 PRIME MILLS RD

GOLDEN IL 62339

Date of Event: 9-10 - 9-11-22

Hours License to be in effect: 8:AM 9-10 - 10:PM 9-11-22

[Signature]
Applicant

5-6-22
Date

**THE PERMIT IS NOT TRANSFERABLE.
POST THE PERMIT IN A CONSPICUOUS PLACE**

Return completed application to the County Clerk at:

507 Vermont Street

Quincy, IL. 62301

countyclerk@adamscountyil.gov

APPROVED

ATTACHMENT D-1

ADAMS COUNTY ELECTION JUDGE PAY INCREASE - PURPOSAL

HISTORICAL DATA					
Election	Number of Judges	Rate of Pay		Total	Notes
2021 - Consolidated Primary	95	\$	120.00	\$	11,400.00
2021 - Consolidated	196	\$	120.00	\$	23,520.00
2020 - General	276	\$	180.00	\$	49,680.00 (\$60 Hazard Pay)
2020 - Primary	194	\$	120.00	\$	23,280.00
2019 - Consolidated Primary	36	\$	120.00	\$	4,320.00 (Wards 1 & 7)
2019 - Consolidated	206	\$	120.00	\$	24,720.00
2018 - General	238	\$	120.00	\$	28,560.00

Average Number of Judges for Election Day:	222	(Not including '19 Primary or '21 Primary)
--	-----	--

PROPOSAL (Per Election)*

CATEGORY	CURRENT	PURPOSED	EST. CURRENT COST	EST. PURPOSED COST	DIFFERENCE	STATE REIMB.	NOTES
a. Rate of Pay (Election Day)	\$ 120.00	\$ 180.00	\$ 26,640.00	\$ 39,960.00	\$ 13,320.00	\$ 9,990.00	(Per Session)
d. Training	\$ 10.00	\$ 15.00	\$ 2,220.00	\$ 3,330.00	\$ 1,110.00	\$ -	(\$30, plus \$10 for every extra hour)
a. Long-Term Care	\$ 30.00	\$ 35.00	\$ 300.00	\$ 350.00	\$ 50.00	\$ -	(Plus Mileage)
d. Pick-Up	\$ 22.50	\$ 30.00	\$ 495.00	\$ 660.00	\$ 165.00	\$ -	(Plus Mileage)
a. Drop-Off	\$ 3.50	\$ 6.00	\$ 112.00	\$ 192.00	\$ 80.00	\$ -	(Per Trip)
a. Drop-Off Rider	\$ 2.50	\$ 4.00	\$ 80.00	\$ 128.00	\$ 48.00	\$ -	(Per Hour)
b. Early Voting Judges	\$ 12.00	\$ 13.50	\$ 4,704.00	\$ 5,292.00	\$ 588.00	\$ -	(Estimated at 392 hours)
			\$ 34,551.00	\$ 49,912.00	\$ 15,361.00	\$ 9,990.00	\$ 5,371.00
			<i>per election</i>	<i>per election</i>	<i>per election</i>	<i>per election</i>	<i>Net Change, per election (Difference less Reimb)</i>

*Estimated based off the average number of election judges

Rate of Pay Chart (Per Election)	Flat Amount	Total Pay*	Per Hour
	\$120.00	\$26,640.00	\$8.57
	\$150.00	\$33,300.00	\$10.71
	\$160.00	\$35,520.00	\$11.43
	\$170.00	\$37,740.00	\$12.14
	\$175.00	\$38,850.00	\$12.50
	\$180.00	\$39,960.00	\$12.86
	\$200.00	\$44,400.00	\$14.29

RED Denotes Under Min. Wage (Averaging 14hr Day)

ADAMS COUNTY ARPA FUNDS PROJECTED BALANCE SHEET

TOTAL ADAMS COUNTY ARPA FUNDS \$12,709,982.00

TOTAL FUNDS ALLOCATED TO DATE (6-2-22) \$6,503,009.65

PROJECT LOCATION	DESCRIPTION	REQUESTED AMOUNT
VILLAGE OF PAYSON	WATER TOWER REPLACEMENT	\$350,000.00
VILLAGE OF URSA	WASTEWATER TREATMENT LAGOON	\$400,000.00
VILLAGE OF CLAYTON	WATER MAIN REPLACEMENT	\$200,000.00
CLAYTON-CAMP POINT WATER DISTRICT	WATER TOWER REPLACEMENT	\$225,000.00
ADAMS COUNTY FAIRGROUNDS	RESTROOM REPLACEMENT AND WATER MAINS	\$250,000.00
ADAMS COUNTY AMBULANCE DEPARTMENT	BUILD 3 NEW PERMANENT AMBULANCE STATIONS (MENDON, LIBERTY AND CAMP POINT)	\$650,000.00
ADAMS COUNTY COURTHOUSE	INSTALL DRYVIT FAÇADES AND FIX ROOF LEAKS	\$150,000.00
ADAMS COUNTY AREA	PROVIDE FUNDING TO SECURE HOUSING PROGRAMS IN ADAMS COUNTY AREA	\$1,000,000.00
JUVENILE DETENTION CENTER	REPLACE VENTILATION SYSTEM	\$1,500,000.00
COUNTY CLERK	SUPPLEMENT ELECTION JUDGES PAY FOR 2022 PRIMARY AND GENERAL ELECTIONS	\$12,000.00
CIRCUIT CLERK	UPGRADE DESKTOP COMPUTERS IN CIRCUITE CLERK OFFICE	\$10,000.00
ADAMS COUNTY BOARD OFFICE	UPGRADE SOFTWARE FOR BUDGETING / ACCOUNTING	\$25,000.00
JUDICIAL DEPARTMENT	UPGRADE DESKTOP COMPUTERS IN COURTROOMS	\$18,000.00

TOTAL PENDING REQUESTED FUNDS \$4,790,000.00

TOTAL REMAINING FUNDS \$1,416,972.35

Ryan Niekamp

From: Gary Farha
Sent: Monday, June 6, 2022 6:58 PM
To: Ryan Niekamp
Subject: Fwd: Adams County Bicentennial Commission Members

Get [Outlook for iOS](#)

From: Gary Farha <gfarha@co.adams.il.us>
Sent: Monday, June 6, 2022 3:56:11 PM
To: Kent Snider <ksnider@co.adams.il.us>; Bret Austin <baustin@co.adams.il.us>; Barbara Fletcher <bfletcher@co.adams.il.us>; Dave Bellis <dbellis@co.adams.il.us>; Mark Peter <mpeter@co.adams.il.us>
Subject: Fwd: Adams County Bicentennial Commission Members

Here is my proposal for a bicentennial commission for a Adams County in 2025. All the people on this list have enthusiastically agreed to participate in planning these events, with the exception of Katie Schelp who has not yet responded. No one has told me know or that they didn't have time to participate. I would think we would want to budget some Arper funds for these celebrations .

Get [Outlook for iOS](#)

From: Cheryl Ely <cely@co.adams.il.us>
Sent: Monday, June 6, 2022 3:51 PM
To: Gary Farha <gfarha@co.adams.il.us>
Subject: Adams County Bicentennial Commission Members

Kent Snider
 Gary Farha
 Reg Ankrom
 Jack Frieberg
 Chuck Sholz
 Barb Fletcher
 Dave & Theresa Bockhold (Payson/Liberty)
 Erin Knapheide
 Judge Dennis Cashman (Retired)
 Brad Kestner (Camp Point)
 Carol Shaffer (Lima/ Loraine)
 Pam Shaffer (Ursa/Mendon)
 Katie Shelp (maybe)

Cheryl A. Ely

Office Administrator

Adams County State's Attorneys Office
 521 Vermont Street
 Quincy, IL 62301
 ☎ 217-277-2230

Ryan Niekamp

From: Jerrod Welch
Sent: Thursday, May 12, 2022 9:41 AM
To: Chairman
Cc: Ryan Niekamp
Subject: Board of Health Reappointments

Kent,

We would like the county board to reappoint the following individuals to the Board of Health. This was addressed at the April Board of Health meeting with unanimous approval.

Dr. Richard Wright (3 year term)

Mrs. Ann Reich (3 year term)

Mr. Mark Peter (1 year term) *** We acknowledge Mark's term on the County Board and the Board of Health will end upon election/certification of new County Board members in the winter. I would like to meet with you and seek advice from a few other county board members on a future County Board member to receive appointment after Mark's term in office ends. In the interim, it's our preference to let mark serve out the remaining 6-7 months in this appointment.

Thanks and let me know if you need anything,

Jerrod

**ADAMS COUNTY CLERK
RYAN A. NIEKAMP**

**FEE ACCOUNT
May, 2022**

Receipts

Postage - 001-111-5549	\$43.00
Liquor Licenses - 001-001-4135	\$2,600.00
Marriage Licenses -001-111-4105	\$495.00
Civil Union Licenses - 001-111-4105	\$0.00
Miscellaneous Fees - 001-111-4105	\$5,753.00
Equipment Fund - 111-111-4105	\$973.00
Automation Fund- 111-111-4105	\$922.00
Marriage Licenses DV - Disbursements	\$165.00
Redemptions - 001-002-3551	\$55,778.78
D.C Surcharge - Disbursements	\$120.00
TOTAL RECEIPTS	\$66,849.78

Disbursements

Marriage Licenses DV - State	\$165.00
Redemptions - Tax Buyers	\$53,931.78
D.C. Surcharge - State	\$120.00
TOTAL DISBURSEMENTS	\$54,216.78
+Overages or -Shortages:	

TOTAL FEES DEPOSITED **\$12,633.00**



ADAMS COUNTY CLERK/ RECORDER

6/13/2022
DATE

**Office of Recorder
Adams County, Illinois
MAY, 2022**

RECEIPTS:

Recording fees	\$ 17,013.00
Revenue stamps	\$ 46,479.00
Miscellaneous	\$ (166.25)
Recorders Automation Fund	\$ 3,549.50
Recorders equipment fund fee	\$ 5,611.50
Recorders Laredo Fund	\$ 5,974.00
G.I.S. (County) fees	\$ 23,113.00
Rental Housing Support fees	\$ 7,038.00
Recorders G.I.S. fees	\$ 797.00
Total Receipts	\$ 109,408.75

CHARGES:

Fees charged on account	\$ -
Total Charges	<u> </u>

DISBURSEMENTS:

State Tax Stamps	\$ 30,986.00
Refunds	\$ -
Total Disbursements	<u> </u>

Net Income \$ 78,422.75

DISTRIBUTION CHECKS

Earnings Recorder 001-131-4105	\$ 32,339.75
G.I.S.(Highway)(Recorder) 505-501-4105	\$ 23,113.00
Recorders G.I.S. 132-131-4105	\$ 797.00
Recorder Automation Fund 133-131-4105	\$ 3,549.50
Equip. Fund/Laredo 131-131-4125	\$ 5,974.00
Rental Housing Support	\$ 7,038.00
Recorders Equipment 131-131-4105	\$ 5,611.50
Total Distribution	<u> </u>

Submitted by: Ryan A. Niekamp, Clerk & Recorder



Adams County Circuit Clerk
 Monthly Report
 May 2022

TOTAL MONTHLY RECEIPTS: \$ 242,411.00
CCP COLLECTIONS \$ 11,133.00
COMPTROLLER COLLECTIONS \$ 7,520.00

CASE FILINGS:	Apr-22	May-22	YTD
AD - Adoption	4	5	29
CC - Criminal Contempt	1	1	2
CF - Criminal Felony	63	63	331
CH - Chancery	3	1	10
CL - Civil Law	1	0	1
CM - Criminal Misdemeanor	20	13	99
CV - Conservation	3	1	5
DC - Divorce with Children	6	9	45
DN - Divorce no Children	9	7	39
DT - DUI	10	3	42
DV - Domestic Violence	4	13	32
EV - Eviction	24	27	116
FA - Family	9	12	66
FC - Foreclosure	9	5	29
GR - Guardianship	3	7	24
JA - Juvenile Abuse	12	6	40
JD - Juvenile Delinquent	5	2	20
LA - Law	4	1	15
LM - Law Magistrate	10	4	46
MH - Mental Health	23	18	119
MR - Misc Remedy	1	7	19
MT - Major Traffic	63	41	232
MX - Misc Criminal	55	44	167
OP - Order of Protection	42	55	206
OV - Ordinance Violation	27	32	172
PR - Probate	16	14	73
SC - Small Claims	63	73	311
TR - Minor Traffic	284	251	1083
TX - Tax	18	13	48

PASSPORTS PROCESSED: 15

PERSONNEL:

We have one open position

INFORMATION TECHNOLOGY

2022 May Closed Tickets

Date Opened	Customer ID	Subject	Status	Assigned To	Assigned Group	Ticket ID
5/31/2022 14:51		[PaycomOnline] County New Hire	Closed			19704
5/31/2022 13:01	QPD	Retirement - Fob Deactivation Request	Closed			19700
5/31/2022 12:53		Access Card	Closed			19698
5/31/2022 10:28	EMA	My desktop computer	Closed			19696
5/31/2022 10:08		FW: EXTERNAL:Blackbaud Customer Feedback	Closed			19695
5/31/2022 10:03		EXTERNAL:The Cloud: Ready to make the swit	Closed			19694
5/31/2022 9:54		Re: Interview recordings	Closed			19693
5/31/2022 9:53		RE: Interview recordings	Closed			19692
5/31/2022 9:50		Re: Interview recordings	Closed			19691
5/31/2022 9:31		RE: Interview recordings	Closed			19690
5/31/2022 9:25	ACSO-Patrol	RE: Interview recordings	Closed			19689
5/31/2022 9:09	Carla	FW: EXTERNAL:	Closed	pmencer		19687
5/31/2022 9:08		FW: New Employee - 5/31/22	Closed			19686
5/31/2022 8:54		Set-Up in Room 107	Closed			19685
5/31/2022 8:52	rhuseman	Car computers	Closed			19684
5/31/2022 8:51		?	Closed			19683
5/31/2022 8:49	ACSO-Patrol	Fwd: Interview recordings	Closed			19681
5/31/2022 8:49	PRO	Remote Desktop	Closed			19679
5/31/2022 8:49		HEA - WICCenter moved from WIC to storage	Closed			19680
5/31/2022 8:49		EXTERNAL:COAIL - Cyber Hygiene Report - Ma	Closed			19678
5/31/2022 8:47		New Employee Log-In Info	Closed			19677
5/31/2022 8:47		HEA - IMMCLINIC moved from IMMS to 107	Closed			19675
5/31/2022 8:47		County NAS Active Backup for Business - back	Closed			19676
5/31/2022 8:47		HEA - Rerouted power to HEA Main level Swit	Closed			19674
5/31/2022 8:47	JUD	read from the bottom up	Closed			19672
5/31/2022 8:47	CIR	Dawn Trautvetter	Closed			19673
5/31/2022 8:47	rboden	login	Closed			19671
5/31/2022 8:47		FW: EXTERNAL:	Closed			19670
5/31/2022 8:45		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19668
5/31/2022 8:45		County NAS Security risks detected on County	Closed			19669
5/31/2022 8:45		report Daily_Stats-2022-05-27-0800 [gw11715	Closed			19667
5/31/2022 8:45		EXTERNAL:Quincy Township	Closed			19666
5/31/2022 8:45		CCR - OneDrive Troubleshooting	Closed			19664
5/31/2022 8:45		HEA - BScott moved from WIC to 118	Closed			19665
5/31/2022 8:45		EXTERNAL:Keri Systems Closed for Memorial L	Closed			19663
5/31/2022 8:45		report Daily_Stats-2022-05-25-0800 [gw11715	Closed			19661
5/31/2022 8:45		RE: V-Mail from DOELLMAN ADAM (217) 440-	Closed			19662
5/31/2022 8:45		AOK - UPDATE	Closed			19660
5/31/2022 8:45		report Daily_Stats-2022-05-24-0800 [gw11715	Closed			19659
5/31/2022 8:45		(none)	Closed			19658
5/31/2022 8:45		The Patrol Read operation completed for Inte	Closed			19656
5/31/2022 8:45		[PaycomOnline] County New Hire	Closed			19657
5/31/2022 8:45		report Daily_Stats-2022-05-20-0800 [gw11715	Closed			19655
5/31/2022 8:44		report Daily_Stats-2022-05-31-0800 [gw11715	Closed			19654
5/31/2022 8:43		report Daily_Stats-2022-05-30-0800 [gw11715	Closed			19653
5/31/2022 8:43		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19651
5/31/2022 8:43	ACSO-Patrol	Re: car computer	Closed			19652
5/31/2022 8:43		Counter Computer - Print Settings	Closed			19650
5/31/2022 8:43	CCR	Website Help	Closed			19649
5/31/2022 8:43		Key Fob Lost	Closed			19647
5/31/2022 8:43		Change password	Closed			19648
5/31/2022 8:43		HEA - AHanke moved from WIC to Storage	Closed			19645
5/31/2022 8:43		HEA - LFreeman moved from WIC to 120	Closed			19646

INFORMATION TECHNOLOGY

2022 May Closed Tickets

Date Opened	Customer ID	Subject	Status	Assigned To	Assigned Group	Ticket ID
5/31/2022 8:43		HEA - SBauman computer moved from Intake	Closed			19644
5/31/2022 8:43		HEA - AFlesner VStone troubleshooting	Closed			19643
5/31/2022 8:43		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19641
5/31/2022 8:43		HEA - CMoore Label Printer showing offline	Closed			19642
5/31/2022 8:43		Power Xpert Gateway Event CLEARED { Batter	Closed			19639
5/31/2022 8:43	sgoodwin	Donna Goehl Extension/2204	Closed			19640
5/31/2022 8:43		County NAS Active Backup for Business - back	Closed			19637
5/31/2022 8:43		Power Xpert Gateway Event { Battery Disconn	Closed			19638
5/31/2022 8:43		High Priority: Door Access & Camera Updates	Closed			19636
5/31/2022 8:43	rgoodwin	COPIER LEASE	Closed			19635
5/31/2022 8:43	rboden	computer issues	Closed			19632
5/31/2022 8:43		County NAS Security risks detected on County	Closed			19633
5/31/2022 8:43		[PaycomOnline] County New Hire	Closed			19630
5/31/2022 8:43		Power Xpert Gateway Event { Major Alarm } ID	Closed			19631
5/31/2022 8:43		Fw: xpat	Closed			19629
5/31/2022 8:43		HEA - Network Cabling	Closed			19628
5/31/2022 8:43		County NAS DSM Automatic Update will auto	Closed			19627
5/31/2022 8:43	tdede	FW: EXTERNAL:Password Expiry Notification	Closed			19625
5/31/2022 8:43	ACSO-Jail	New computer in central	Closed			19626
5/31/2022 8:43	rgoodwin	Phones	Closed			19624
5/31/2022 8:43		County NAS Active Backup for Business - back	Closed			19623
5/31/2022 8:43		EXTERNAL:COAIL - Cyber Hygiene Report - Ma	Closed			19621
5/31/2022 8:43		Unable to reset password	Closed			19622
5/31/2022 8:43	rhuseman	car computer	Closed			19619
5/31/2022 8:43		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19620
5/31/2022 8:42		County NAS Active Backup for Business - back	Closed			19618
5/31/2022 8:42		A Patrol Read operation started for Integrated	Closed			19617
5/31/2022 8:42		[PaycomOnline] County New Hire	Closed			19616
5/31/2022 8:42		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19614
5/31/2022 8:42	CIR	Courtroom 2C	Closed			19615
5/31/2022 8:42		CD Burning	Closed			19613
5/31/2022 8:42		Holly Clifton	Closed			19611
5/31/2022 8:42	tnelson	Avigilon player	Closed			19610
5/31/2022 8:42		HEA - Fax machine moved from WIC to Recept	Closed			19609
5/31/2022 8:42		HEA - EBollman moved from WIC to 119	Closed			19607
5/31/2022 8:42		HEA - LWilliams moved from WIC to 104	Closed			19608
5/31/2022 8:42		HEA - TSteeple moved from WIC to storage	Closed			19606
5/31/2022 8:42		HEA - WICWest moved from WIC to Intake	Closed			19604
5/31/2022 8:42		HEA - WICEast moved from WIC to Intake	Closed			19605
5/31/2022 8:42		HEA - EVonderheide Cisco Webex software ins	Closed			19603
5/31/2022 8:42		HEA - AKlene monitor replacement	Closed			19601
5/31/2022 8:42	CIR	2C Computer	Closed			19599
5/31/2022 8:42		report Daily_Stats-2022-05-26-0800 [gw11715	Closed			19598
5/31/2022 8:42	afoster	FW: Notification: RE: EXTERNAL:Re: EXTERNA	Closed			19596
5/31/2022 8:42	rhuseman	(none)	Closed			19597
5/31/2022 8:42	HEA-WIC	FW: EXTERNAL:Logistics: Adams County Healt	Closed			19595
5/31/2022 8:42		computer problem	Closed			19593
5/31/2022 8:42		Power Xpert Gateway Event CLEARED { System	Closed			19594
5/31/2022 8:42	JUV	New Account	Closed			19591
5/31/2022 8:42		Power Xpert Gateway Event { System Alarm A	Closed			19592
5/31/2022 8:42		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19590
5/31/2022 8:42		Employee Termination - Access and Email nee	Closed			19588
5/31/2022 8:42		Delete Icon	Closed			19589

INFORMATION TECHNOLOGY

2022 May Closed Tickets

Date Opened	Customer ID	Subject	Status	Assigned To	Assigned Group	Ticket ID
5/31/2022 8:42	CIR	New phones	Closed			19587
5/31/2022 8:42	CIR	Computers	Closed			19585
5/31/2022 8:42		EXTERNAL:Take a virtual tour of the latest r	Closed			19586
5/31/2022 8:42	PRO	Monitor - Edge	Closed			19583
5/31/2022 8:42		Sgt's computer	Closed			19584
5/31/2022 8:42		Needing password for phone	Closed			19581
5/31/2022 8:42		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19582
5/31/2022 8:42	JUD	New Law Clerk - Logan Giesing	Closed			19580
5/31/2022 8:42		Email Error	Closed			19578
5/31/2022 8:42		Power Xpert Gateway Event { Battery Test Fail	Closed			19577
5/31/2022 8:42	JUV	FW: (1) FW: Adams Co Juvenile Detention Cen	Closed			19576
5/31/2022 8:41	mhoffman	library computers	Closed			19575
5/31/2022 8:41		My Printer Not Working	Closed			19574
5/31/2022 8:41		report Daily_Stats-2022-05-23-0800 [gw11715	Closed			19573
5/31/2022 8:41		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19572
5/31/2022 8:41		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19570
5/31/2022 8:41		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19571
5/31/2022 8:41	rgoodwin	EMAIL DISTRIBUTION LISTS	Closed			19569
5/31/2022 8:41	ACSO-Jail	Fwd: Central Control Computer	Closed			19568
5/31/2022 8:41	ACSO-Jail	G pod TV	Closed			19567
5/31/2022 8:41		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19566
5/31/2022 8:41		Camera replacement adapter	Closed			19565
5/19/2022 12:35	rgoodwin	SHERIFF SALES	Closed	pmencer		19564
5/19/2022 11:49		Training Phone - Split Phone Cord??	Closed			19563
5/19/2022 11:47	rgoodwin	Emailing: 20220519084727403	Closed			19562
5/19/2022 11:47		Assistance in Room 107	Closed			19561
5/19/2022 11:46	John F	RMS config - 911-Spare3	Closed	pmencer		19560
5/19/2022 11:45		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19559
5/19/2022 11:45	HEA-Dental	RE: I am unable to log into the sexual harassm	Closed			19558
5/19/2022 11:43	HEA-WIC	ACIP meetings	Closed			19557
5/19/2022 11:43		EXTERNAL:How would you rate your experien	Closed			19555
5/19/2022 11:43		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19556
5/19/2022 11:43	911	RE: QFD Auto Call	Closed	pmencer		19553
5/19/2022 11:43		Computer Quotes	Closed			19551
5/19/2022 11:43		County NAS Security risks detected on County	Closed			19552
5/19/2022 11:42		FW: EXTERNAL>Password Expiry Notification	Closed			19550
5/19/2022 11:42		Crystal Reporting	Closed			19549
5/19/2022 11:42	Bryden	April Financials	Closed	pmencer		19548
5/19/2022 11:42		FW: Informational-severity alert: eDiscovery s	Closed			19547
5/19/2022 11:42		Key Card Access - Please Add	Closed			19546
5/19/2022 11:42		report Daily_Stats-2022-05-18-0800 [gw11715	Closed			19544
5/19/2022 11:42		[PaycomOnline] County New Hire	Closed			19545
5/19/2022 11:42		QFD Auto Call	Closed			19542
5/19/2022 11:42		Urgent	Closed			19543
5/19/2022 11:42		report Daily_Stats-2022-05-17-0800 [gw11715	Closed			19541
5/19/2022 11:42	Jessica Frese	Scan to email	Closed	pmencer		19540
5/19/2022 11:41		RE: I am unable to log into the sexual harassm	Closed			19539
5/19/2022 11:41		Fw: EXTERNAL:ESO Case 00632254: Needing a	Closed			19538
5/19/2022 11:41		(none)	Closed			19537
5/19/2022 11:41		RE: Key Card Access - Please Add	Closed			19536
5/19/2022 11:41		Password Change	Closed			19535
5/19/2022 11:41		report Daily_Stats-2022-05-19-0800 [gw11715	Closed			19534
5/19/2022 11:41		County NAS Active Backup for Business - back	Closed			19533

INFORMATION TECHNOLOGY

2022 May Closed Tickets

Date Opened	Customer ID	Subject	Status	Assigned To	Assigned Group	Ticket ID
5/19/2022 11:41	John F	RE: RMS config - 911-Spare3	Closed	pmencer		19532
5/19/2022 11:40		FW: Medium-severity alert: Compliance Mana	Closed			19531
5/19/2022 11:40	JUV	job listing	Closed	pmencer		19530
5/19/2022 11:40	eandrews	job posting	Closed	pmencer		19529
5/19/2022 11:40	CIR	New email	Closed			19526
5/19/2022 11:40	ceidson	Car video	Closed			19525
5/19/2022 11:40	Terry B	FW: JOB Posting	Closed	pmencer		19523
5/19/2022 11:40		EXTERNAL:Server Access	Closed			19524
5/19/2022 11:40	EMA	ESO on desktop	Closed	pmencer		19522
5/19/2022 11:40	911	RE: QFD Auto Call	Closed	pmencer		19521
5/19/2022 11:40		[PaycomOnline] County New Hire	Closed			19520
5/19/2022 11:40		EXTERNAL:Reminder: Your service contract wi	Closed			19519
5/19/2022 11:40		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19518
5/19/2022 11:40		Alexis Danner	Closed			19517
5/19/2022 11:40	HEA-Dental	RE: I am unable to log into the sexual harassm	Closed			19516
5/19/2022 11:40	HEA-Dental	RE: I am unable to log into the sexual harassm	Closed			19515
5/19/2022 11:40	HEA-Dental	I am unable to log into the sexual harassment	Closed			19514
5/19/2022 11:40	JUV	New Account	Closed	pmencer		19513
5/19/2022 11:40		New Employee - 5/31/22	Closed			19512
5/16/2022 11:28		FW: Quarantine Summary: [1 message(s) qua	Closed			19511
5/16/2022 11:21	tbower	Camera	Closed			19510
5/16/2022 10:56		report Daily_Stats-2022-05-13-0800 [gw11715	Closed			19509
5/16/2022 10:54		Your digest email	Closed			19508
5/16/2022 10:54	Caitlin	FW: Sec to Associate Judges Position	Closed	pmencer		19507
5/16/2022 10:52		EXTERNAL:Blank Monitor Window	Closed			19505
5/16/2022 10:52	dgoehl	RE: video	Closed			19506
5/16/2022 10:52	dgoehl	(none)	Closed	pmencer		19504
5/16/2022 10:51	rgoodwin	RMS	Closed	pmencer		19503
5/16/2022 10:51		Devnet Updates	Closed			19501
5/16/2022 10:51		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19502
5/16/2022 10:51		RE: Update: Monitor at detention	Closed			19500
5/16/2022 10:51	afoster	FW: Monitor Problems	Closed			19499
5/16/2022 10:51		New Hire - Flagg, Luanna	Closed			19498
5/16/2022 10:50	EMA	Re: Internet Outage at Station #1	Closed			19497
5/16/2022 10:49	HEA-WIC	Printer Issues	Closed			19496
5/16/2022 10:49		EXTERNAL:COAIL - Cyber Hygiene Report - Ma	Closed			19495
5/16/2022 10:49		Computer	Closed			19494
5/16/2022 10:49		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19493
5/16/2022 10:49		EXTERNAL:Blank Monitor Window	Closed			19492
5/16/2022 10:49	SA	Todd Eyler	Closed			19491
5/16/2022 10:49	JUV	Update: Monitor at detention	Closed			19489
5/16/2022 10:49		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19490
5/16/2022 10:49		EXTERNAL:Blank Monitor Window	Closed			19488
5/16/2022 10:49		Holly Clifton	Closed			19487
5/16/2022 10:49		calendar - computer / phone	Closed			19486
5/16/2022 10:49		RE: Internet Outage at Station #1	Closed			19485
5/16/2022 10:49		Two Areas of Support in 107	Closed			19484
5/16/2022 10:49		Internet Outage at Station #1	Closed			19483
5/16/2022 10:47		report Daily_Stats-2022-05-16-0800 [gw11715	Closed			19481
5/16/2022 10:47		Password	Closed			19482
5/16/2022 10:47		Re: Computer	Closed			19479
5/16/2022 10:47		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19480
5/16/2022 10:47	jail	Central Computer	Closed			19478

INFORMATION TECHNOLOGY

2022 May Closed Tickets

Date Opened	Customer ID	Subject	Status	Assigned To	Assigned Group	Ticket ID
5/16/2022 10:47		FW: Printer in EOC	Closed			19476
5/16/2022 10:47		County NAS Active Backup for Business - back	Closed			19477
5/16/2022 10:47		EXTERNAL:Blank Monitor Window	Closed			19475
5/16/2022 10:47		EXTERNAL:Blank Monitor Window	Closed			19474
5/16/2022 10:47	rbower	ACSD IMACS	Closed			19472
5/16/2022 10:47		RE: Dymo LabelWriter not working	Closed			19473
5/16/2022 10:47	PRO	Remote Work	Closed			19471
5/16/2022 10:47	JUV	RE: Update: Monitor at detention	Closed			19470
5/16/2022 10:47		EXTERNAL:Blank Monitor Window	Closed			19468
5/16/2022 10:47		doors	Closed			19469
5/16/2022 10:47	SA	phone	Closed			19467
5/16/2022 10:47	afoster	FW: Monitor Problems	Closed			19466
5/16/2022 10:47		Monitor	Closed			19464
5/16/2022 10:47	swebster	RE: EXTERNAL:[connectrex] Re: Blank Monitor	Closed			19465
5/16/2022 10:47		Email Whitelist & Fax Machine	Closed			19463
5/16/2022 10:47		Merchant Capture	Closed			19461
5/16/2022 10:47		Dymo LabelWriter not working	Closed			19462
5/16/2022 10:47		Re: Internet Outage at Station #1	Closed			19460
5/16/2022 10:47		report Daily_Stats-2022-05-12-0800 [gw11715	Closed			19459
5/16/2022 10:47	HEA-Dental	I think it is an SIU issue	Closed			19458
5/16/2022 10:47	HEA-Dental	URGENT none of our ACHD computers are wo	Closed			19457
5/16/2022 10:47		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19456
5/11/2022 16:03	PDO	IMAC	Closed			19455
5/11/2022 16:02	SOA	FW: EXTERNAL:PAYMENT RECEIPT	Closed			19453
5/11/2022 16:02		HEA - AkleneM Sophos Installation	Closed	ddonarski		19454
5/11/2022 16:01		HEA - Setup O365 CASmith	Closed	ddonarski		19452
5/11/2022 16:01		2022 April Closed Tickets	Closed	sedwards		19451
5/11/2022 16:01		Fwd: Alarm: EMS Station 1, Temperature, 70.0	Closed			19450
5/11/2022 16:01	QPD	Retirement - Bill Calkins	Closed			19449
5/11/2022 16:00		HEA - AMakinsm sophos installed	Closed	ddonarski		19448
5/11/2022 16:00		dynamo labeler	Closed			19447
5/11/2022 16:00	HEA-Admin	Two IT Items	Closed	sedwards		19446
5/11/2022 16:00		County NAS Active Backup for Business - back	Closed			19445
5/11/2022 16:00		V-Mail from [V] BRADY FIELDING (217) 231-12	Closed	ddonarski		19444
5/11/2022 16:00		Computer/Invoice Update	Closed			19443
5/11/2022 16:00		File Transfer Blocked	Closed			19442
5/11/2022 15:59		SA - Install VSDC LKeck	Closed	ddonarski		19441
5/11/2022 15:59		HEA - Mhagstromm Sophos Installed	Closed	ddonarski		19440
5/11/2022 15:59		911-Spare3	Closed			19438
5/11/2022 15:59	rgoodwin	FW: JEN'S PHONE	Closed			19439
5/11/2022 15:59	CIR	Laptop connection	Closed			19437
5/11/2022 15:59		report Daily_Stats-2022-05-10-0800 [gw11715	Closed	ddonarski		19436
5/11/2022 15:59	PRO	FW: Internet Explorer - Monitor Picture Issues	Closed			19434
5/11/2022 15:59	CIR	Voicemail	Closed			19435
5/11/2022 15:59	CCR	Epson LW PX900	Closed			19433
5/11/2022 15:59	rgoodwin	Is there a problem with Rich's email?	Closed			19431
5/11/2022 15:59		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19432
5/11/2022 15:59		HEA - AHankemsn Java update	Closed	ddonarski		19429
5/11/2022 15:59	QPD	More Fob Action	Closed			19430
5/11/2022 15:59		report Daily_Stats-2022-05-03-0800 [gw11715	Closed	ddonarski		19428
5/11/2022 15:58		SA - Update LKeckM	Closed	ddonarski		19427
5/11/2022 15:58		HEA - DFrankenhom Sophos installed	Closed	ddonarski		19425
5/11/2022 15:58		HEA - DFrankenhoff ICARE reset password ass	Closed	ddonarski		19426

INFORMATION TECHNOLOGY

2022 May Closed Tickets

Date Opened	Customer ID	Subject	Status	Assigned To	Assigned Group	Ticket ID
5/11/2022 15:58		HEA - AflesnerM Sophos Install	Closed	ddonarski		19424
5/11/2022 15:58		RE: Access group	Closed			19422
5/11/2022 15:58	ACSO-Patrol	CAD	Closed			19423
5/11/2022 15:58		=?Windows-1252?Q?EXTERNAL:CISA_Cyber_H	Closed			19421
5/11/2022 15:58		report Daily_Stats-2022-05-11-0800 [gw11715	Closed	ddonarski		19420
5/11/2022 15:58		Remote Login	Closed			19419
5/11/2022 15:58	slarson	judges" computers	Closed			19418
5/11/2022 15:58		Elevator Unlocked for Committee Meetings	Closed			19416
5/11/2022 15:58	ACSO	Disable web page restrictions	Closed			19417
5/11/2022 15:58	rgoodwin	Computer	Closed			19415
5/11/2022 15:58	PRO	FW: V-Mail from [V] BRADY FIELDING (217) 23	Closed			19414
5/11/2022 15:58		A Patrol Read operation started for Integrated	Closed			19413
5/11/2022 15:58	QPD	Chief Copley's Retirement	Closed			19411
5/11/2022 15:58		Re: Alarm: EMS Station 1, Temperature, 70.03	Closed			19412
5/11/2022 15:58		RE: Phone issue	Closed			19410
5/11/2022 15:58	CIR	Public Computer	Closed			19408
5/11/2022 15:58		BBS390 #1544222 - **ALERT** Backup Server	Closed			19409
5/11/2022 15:58		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19406
5/11/2022 15:58	QPD	New Access Cards - New Officers	Closed			19407
5/11/2022 15:58	PRO	Internet Explore/Edge	Closed			19405
5/11/2022 15:58		HEA - DFRANKENHOM Installing updates	Closed	ddonarski		19403
5/11/2022 15:58	CIR	FW: Quarantine Summary: [8 message(s) qua	Closed			19404
5/11/2022 15:58	sgoodwin	Desk top	Closed			19402
5/11/2022 15:58		email access - Jason Hagerbaumer	Closed			19400
5/11/2022 15:58		RE: Lap top with EZ and Medi and ICare	Closed			19401
5/11/2022 15:58		SA - LKeckM Install Sophos	Closed	ddonarski		19398
5/11/2022 15:58		HEA - FHCE Printer Setup AFlesnerM	Closed	ddonarski		19399
5/11/2022 15:58		SA - Install VSDC JJones	Closed	ddonarski		19397
5/11/2022 15:57		HEA - AMakins ICARE reset password assistan	Closed	ddonarski		19395
5/11/2022 15:57		HEA - EHendrickson Hotspot troubleshooting	Closed	ddonarski		19396
5/11/2022 15:57		HEA - AMakinsM Updated	Closed	ddonarski		19394
5/11/2022 15:57		HEA - Mhagstromm updated	Closed	ddonarski		19392
5/11/2022 15:57		HEA - DFrankenhom Updated	Closed	ddonarski		19393
5/11/2022 15:57		HEA - AkleneM Laptop Updated	Closed	ddonarski		19390
5/11/2022 15:57		HEA - AflesnerM updated	Closed	ddonarski		19391
5/11/2022 15:57	rgoodwin	Phones	Closed			19389
5/11/2022 15:57		Undeliverable Emails	Closed	ddonarski		19387
5/11/2022 15:57	rgoodwin	JEN'S PHONE	Closed			19388
5/11/2022 15:57		HEA - FHCE Printer setup AKleneM	Closed	ddonarski		19386
5/11/2022 15:57		HEA - Install O365 AMakinsM	Closed	ddonarski		19384
5/11/2022 15:57		HEA - Install Mouse for CASmith	Closed	ddonarski		19385
5/11/2022 15:57		Joint ETSB Roster - Please Post	Closed			19382
5/11/2022 15:57		SA - Install VSDC LKeckM	Closed	ddonarski		19383
5/11/2022 15:57		EXTERNAL:Dave Hochgraber - Adams County,	Closed			19381
5/11/2022 15:57		911-Spare2	Closed			19379
5/11/2022 15:57	HEA-WIC	McAfee pop ups	Closed	ddonarski		19380
5/11/2022 15:57		County NAS Active Backup for Business - back	Closed			19377
5/11/2022 15:57		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19378
5/11/2022 15:57	ACSO-Patrol	Thumb Drives and external device	Closed			19376
5/11/2022 15:57	ACSO-Jail	RE: New Hire - Sara Vahle	Closed			19375
5/11/2022 15:57	ACSO	Web Page restrictions	Closed	sedwards		19373
5/11/2022 15:57		Downloads	Closed			19372
5/11/2022 15:57		County NAS Security risks detected on County	Closed			19371

INFORMATION TECHNOLOGY

2022 May Closed Tickets

Date Opened	Customer ID	Subject	Status	Assigned To	Assigned Group	Ticket ID
5/11/2022 15:57		EXTERNAL:COAIL - Cyber Hygiene Report - Ma	Closed			19369
5/11/2022 15:57		Closing Early Wednesday May 11th	Closed			19370
5/11/2022 15:57		Dog tag program	Closed			19368
5/11/2022 15:57	CIR	Courtroom 1A	Closed			19367
5/11/2022 15:57		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19366
5/11/2022 15:57	ACSO-Jail	RE: New Hire - Sara Vahle	Closed			19364
5/11/2022 15:57		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19365
5/11/2022 15:57		Re: Alarm: EMS Station 1, Temperature, 70.03	Closed			19363
5/11/2022 15:57	lgraham	CorrectionsOneAcademy.pdf	Closed			19362
5/11/2022 15:57	rgoodwin	SHERIFF SALES	Closed			19361
5/11/2022 15:57		=?Windows-1252?Q?Melanie=92s_printer_?=	Closed			19359
5/11/2022 15:57		FW: V-Mail from [V] LAURA GRAHAM (217) 44	Closed			19360
5/11/2022 15:57		Re: 911-Spare2	Closed			19356
5/11/2022 15:57	lkeck	Video Editor	Closed	ddonarski		19357
5/11/2022 15:57		[PaycomOnline] County New Hire	Closed			19358
5/11/2022 15:57	SA	=?Windows-1252?Q?FW: _Urgent_Anita=92s_	Closed			19354
5/11/2022 15:57	tbower	Cameras	Closed			19355
5/11/2022 15:57		License Expiry Event [gw117152.fortimail.com	Closed			19353
5/11/2022 15:57		RMS Narr.dot for QPD	Closed			19351
5/11/2022 15:56	CIR	Re: Laptop connection	Closed			19350
5/11/2022 15:56		RE: Web Page restrictions	Closed			19349
5/11/2022 15:56	ACSO-Jail	new phone	Closed			19346
5/11/2022 15:56	eandrews	job opening	Closed			19347
5/11/2022 15:56		EXTERNAL:Soooooooooo SLOW	Closed			19348
5/11/2022 15:56	EMA	website update on employment	Closed	sedwards		19344
5/11/2022 15:56		EXTERNAL:Whatâ€™s new in Doors.NET 5.1.0	Closed			19345
5/11/2022 15:56	tdede	Email & attachments too large to send	Closed			19343
5/11/2022 15:56		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19340
5/11/2022 15:56	mgay	=?Windows-1252?Q?Urgent_Anita=92s_Comp	Closed			19341
5/11/2022 15:56	JUV	voicemail problem	Closed			19338
5/11/2022 15:56		County NAS Packages on CountyNAS are out-d	Closed			19339
5/11/2022 15:56	ACSO	Joint training room Wi-Fi	Closed			19337
5/11/2022 15:56		First Banker's Check Scanner	Closed			19336
5/11/2022 15:56	CCR	File Explorer	Closed			19335
5/11/2022 15:56		[PaycomOnline] County New Hire	Closed	ddonarski		19333
5/11/2022 15:56		Orientation for Holly Clifton	Closed			19334
5/11/2022 15:56	rgoodwin	Cameras	Closed			19332
5/11/2022 15:56		report Daily_Stats-2022-05-09-0800 [gw11715	Closed	ddonarski		19330
5/11/2022 15:56		RE: Walz Label and Mailing	Closed			19331
5/11/2022 15:56		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19329
5/11/2022 15:56		BBS390 #1544222 - **ALERT** Backup Server	Closed			19328
5/11/2022 15:56	EMA	(none)	Closed			19325
5/11/2022 15:56	swebster	RE: Can't download room check data over US	Closed			19326
5/11/2022 15:56	rgoodwin	Faxes	Closed			19327
5/11/2022 15:56	CCR	Sidecar	Closed			19322
5/11/2022 15:56	ACSO-Jail	New Hire - Jaydon Summy	Closed			19323
5/11/2022 15:56		EXTERNAL:Server Access	Closed			19324
5/11/2022 15:56	CIR	FW: Printer Invoice	Closed			19320
5/11/2022 15:56		EXTERNAL:Computers Slow	Closed			19321
5/11/2022 15:56	rgoodwin	FW: Password Reset Email	Closed			19319
5/11/2022 15:56	SOA	Computer	Closed			19315
5/11/2022 15:56		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19316
5/11/2022 15:56		Add Cameras & Computer Program	Closed			19317

INFORMATION TECHNOLOGY

2022 May Closed Tickets

Date Opened	Customer ID	Subject	Status	Assigned To	Assigned Group	Ticket ID
5/11/2022 15:56	bcurran	Baumgartner keyfob	Closed			19318
5/11/2022 15:56		report Daily_Stats-2022-05-06-0800 [gw11715	Closed	ddonarski		19313
5/11/2022 15:56		HEA - EVONDERHEIDE Printer troubleshooting	Closed	ddonarski		19314
5/11/2022 15:56		County NAS Active Backup for Business - back	Closed			19311
5/11/2022 15:56		HEA - AHankemsn installed Sophos	Closed	ddonarski		19312
5/11/2022 15:56		LIMS access	Closed			19310
5/11/2022 15:56	CCR	FW: EXTERNAL:Login Issue	Closed			19307
5/11/2022 15:56		RE: Camera access	Closed			19308
5/11/2022 15:56		The Patrol Read operation completed for Inte	Closed			19309
5/11/2022 15:56		County NAS Packages on CountyNAS are out-d	Closed			19304
5/11/2022 15:56	ACSO	Jail Phone	Closed			19305
5/11/2022 15:56		Please post to website - 20220127 Minutes (A	Closed			19306
5/11/2022 15:56		website forbidden	Closed	sedwards		19302
5/11/2022 15:56		FW: EXTERNAL:ESO Case 00630598: claims no	Closed			19303
5/11/2022 15:56	rgoodwin	rich's email	Closed			19301
5/11/2022 15:56		Help with Screen! :)	Closed			19300
5/11/2022 15:56		report Daily_Stats-2022-05-05-0800 [gw11715	Closed	ddonarski		19299
5/11/2022 15:56		Re: Computer/Invoice Update	Closed			19298
5/11/2022 15:56		RE: Computer/Invoice Update	Closed			19297
5/11/2022 15:56	afoster	MONITOR	Closed			19296
5/11/2022 15:56		Scanners	Closed			19294
5/11/2022 15:56		RE: job posting on website	Closed			19295
5/11/2022 15:56		Health Department New Hire - Liesen, Julia	Closed			19293
5/11/2022 15:55		Adams County Highway - Eddie Deiker - email	Closed	ddonarski		19292
5/11/2022 15:55	jjohnson	ACHD Website	Closed	sedwards		19291
5/11/2022 15:55		report Daily_Stats-2022-05-04-0800 [gw11715	Closed	ddonarski		19290
5/11/2022 15:55		Devnet Updates	Closed			19289
5/11/2022 15:55		HEA - LWILLIAMSMS Update	Closed	ddonarski		19288
5/11/2022 15:55		HEA - DFRANKENHOM Install Sophos	Closed	ddonarski		19287
5/11/2022 15:55		HEA - Ahankemsn fixed issue with secure netw	Closed	ddonarski		19285
5/11/2022 15:55		HEA - AHanke Java update	Closed	ddonarski		19284
5/11/2022 15:55		RE: File Transfer Blocked	Closed			19281
5/11/2022 15:55	sgoodwin	Desk top	Closed			19282
5/11/2022 15:55		RE: Camera access	Closed			19280
5/11/2022 15:55	rgoodwin	Password Reset Email	Closed			19279
5/11/2022 15:55		EdTech news: Highlights from Bett	Closed			19277
5/11/2022 15:55		please wait to post heather hill amendment u	Closed			19278
5/11/2022 15:55		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19276
5/11/2022 15:55		I am getting this error in PC JIMS	Closed			19274
5/11/2022 15:55		County NAS Security risks detected on County	Closed			19275
5/11/2022 15:55		Employee Termination Form - Buckner	Closed			19273
5/2/2022 10:26		Simmons lost - County access card, City access	Closed			19272
5/2/2022 10:16	afoster	RE: North Printer	Closed			19271
5/2/2022 10:09	PRO	RE: North Printer	Closed			19270
5/2/2022 10:05	afoster	North Printer	Closed			19269
5/2/2022 9:46	PRO	FW: Phone extensions	Closed			19268
5/2/2022 9:17		HEA - Card Scanner troubleshooteed for EHend	Closed	ddonarski		19267
5/2/2022 9:15		HEA - Installed LabelWriter 450 at IMMCLINIC	Closed	ddonarski		19266
5/2/2022 9:14	PDO	PCJims	Closed			19265
5/2/2022 9:10	PRO	Nicholas Lumpkins	Closed			19264
5/2/2022 9:02		EXTERNAL:COAIL - Cyber Hygiene Report - Apr	Closed			19263
5/2/2022 9:00	fkientzlej	Re: Jail phones	Closed			19262
5/2/2022 8:58		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19261

INFORMATION TECHNOLOGY

2022 May Closed Tickets

Date Opened	Customer ID	Subject	Status	Assigned To	Assigned Group	Ticket ID
5/2/2022 8:58		HP laptop to dispose of	Closed			19260
5/2/2022 8:57		[PaycomOnline] County New Hire	Closed			19259
5/2/2022 8:57		Samantha Mott	Closed			19257
5/2/2022 8:57		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19258
5/2/2022 8:57	fkientzlej	Jail phones	Closed			19256
5/2/2022 8:57		Heather Hill subdivision Amendment covenant	Closed			19255
5/2/2022 8:46		report Daily_Stats-2022-05-02-0800 [gw11715	Closed	ddonarski		19254
5/2/2022 8:46	bboden	One drive login problem on my phone	Closed			19253
5/2/2022 8:46		Your digest email	Closed			19252
5/2/2022 8:46		County NAS Monthly Drive Health Report on C	Closed			19251
5/2/2022 8:46		Re: Jail phones	Closed			19249
5/2/2022 8:46		County NAS Active Backup for Business - back	Closed			19250
5/2/2022 8:46		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed			19248
5/2/2022 8:46	CCR	Linking	Closed			19247
5/2/2022 8:46	lgraham	Corrections Academy	Closed			19246
4/29/2022 13:11	HEA-WIC	Picture attachments	Closed			19245
4/29/2022 12:21		Audit	Closed			19244
4/29/2022 12:19	SA	FW: Victim Impact Statement	Closed			19243
4/29/2022 10:43	EMA	New User	Closed			19242
4/29/2022 10:28	ems	EXTERNAL:access to server	Closed	rmcelroy		19241
4/29/2022 9:00		report Daily_Stats-2022-04-29-0800 [gw11715	Closed	dhochgraber		19240
4/29/2022 8:58		Stan Reichert - Highway Dept - Email verificati	Closed			19239
4/29/2022 8:58		BBS390 #1544222 - **Backup Alert** - Daily 5	Closed	dhochgraber		19238
4/28/2022 16:21		RE: Key Fob	Closed			19237
4/28/2022 15:03	ccr	Fujitsu Scanner	Closed	jeger		19236
4/28/2022 14:19	cbo	[PaycomOnline] County New Hire	Closed	jeger		19235
4/28/2022 13:17	hhenze	Law Library	Closed	jeger		19232
4/28/2022 13:12	roe	EXTERNAL:Your IL Regional Office of Educatio	Closed	sedwards		19231
4/28/2022 13:10	dgoehl	video	Closed	sedwards		19230
4/28/2022 13:05	HEA-Admin	Fwd: email	Closed	sedwards		19229
4/28/2022 13:03	PRO	FW: New Employee - Probation	Closed			19228
4/28/2022 13:01	bcurran	keyfobs	Closed	sedwards		19227
4/28/2022 13:01	ems	Keyfob activation	Closed	sedwards		19226
4/28/2022 12:59	ACSO-Jail	multi-factor authenticator	Closed	jeger		19224
4/28/2022 12:59		new phone	Closed			19225
4/28/2022 12:59	lgraham	Message computer says	Closed			19223
4/28/2022 12:57		?	Closed			19222
4/28/2022 12:57		FW: Website Help	Closed			19221
4/28/2022 12:57	bcurran	Multi factor authentication	Closed			19220
4/28/2022 12:57		report Daily_Stats-2022-04-28-0800 [gw11715	Closed	dhochgraber		19219
4/28/2022 12:57	lgraham	No internet on Sgts computer	Closed			19218
4/28/2022 12:57	lgraham	Internet	Closed			19217
4/27/2022 15:39	mgay	URGENT!!!! Problem with DVD	Closed	jeger		19216
4/27/2022 12:38		EXTERNAL:Password Reset	Closed			19213
4/27/2022 11:24		JDC New Hire	Closed			19212
4/27/2022 9:23	hea	Employee Termination	Closed	sedwards		19210
4/27/2022 9:16	bcurran	Blocked websites	Closed			19209
4/27/2022 8:55	CCR	ScanSnap	Closed			19208
4/27/2022 8:53		Cameras in Health Dept.	Closed			19207
4/27/2022 8:53	ACSO	Rhonda's Computer	Closed			19206
4/27/2022 8:52		Website Help	Closed	sedwards		19205
4/27/2022 8:52	slarson	Email issues	Closed			19204
4/27/2022 8:49	JUV	New account	Closed			19200

INFORMATION TECHNOLOGY

2022 May Closed Tickets

Date Opened	Customer ID	Subject	Status	Assigned To	Assigned Group	Ticket ID
4/27/2022 8:49	PRO	Imaging	Closed			19199
4/27/2022 8:49	ACSO-Jail	FW: Key fob and time off	Closed	sedwards		19198
4/27/2022 8:48		Devnet Updates	Closed			19194
4/27/2022 8:48	ACSO-Patrol	Label Maker	Closed			19193
4/27/2022 8:48	JUD	Wooleyhan's office computer	Closed			19192
4/27/2022 8:48		EXTERNAL:Zebra Monthly: Connecting disconn	Closed	sedwards		19190
4/27/2022 8:48	dcoleman	Re: EXTERNAL:[Elior North America] Re: [Adar	Closed			19191
4/27/2022 8:48		AOK- my desk computer is stating JAVA updat	Closed	ddonarski		19189
4/27/2022 8:48		Computers in the Jail	Closed			19187
4/27/2022 8:48	hea	Text Option for ReachUC	Closed	rmcelroy		19188
4/27/2022 8:48	CIR	Imaging	Closed			19186
4/27/2022 8:48	tnelson	offline computers in jail sally ports	Closed			19185
4/25/2022 15:11	CCR	Union Contracts	Closed			19182
4/25/2022 14:27	rgoodwin	Computer	Closed			19181
4/25/2022 14:04	CCR	APEX	Closed			19180
4/25/2022 12:56		RE: ESO billing	Closed			19178
4/25/2022 12:55	EMA	RE: ESO billing	Closed			19177
4/25/2022 12:48	EMA	ESO billing	Closed			19176
4/25/2022 10:28		FW: SOC Report(s) Review	Closed			19175
4/25/2022 10:03	CCR	RE: OnePassword	Closed			19174
4/25/2022 9:39	JUV	job listing	Closed			19168
4/25/2022 8:30	hhenze	(none)	Closed			19141
4/25/2022 8:28	SA	Computer	Closed			19140
4/25/2022 8:28	lgraham	Questionable activity	Closed			19137
4/25/2022 8:28		Testing Center Cameras	Closed	sedwards		19135
4/22/2022 14:05		Key Fob	Closed	sedwards		19134
4/22/2022 13:40	EMA	my computer	Closed			19133
4/22/2022 13:25	ACSO-Jail	FW: Corrections and Deputy Merit Tests	Closed	sedwards		19120
4/22/2022 12:53	hhenze	FW: RE: op's	Closed			19113
4/22/2022 12:51		HEA - Mike Homberger reset doors that were	Closed	sedwards		19112
4/22/2022 12:49	CIR	FW: EXTERNAL:GMAIL changes	Closed			19110
4/22/2022 12:49		ACSO - Sue Hester email issues	Closed			19111
4/22/2022 12:48		ACSO - Pickup Groups	Closed	sedwards		19109
4/22/2022 12:46		Employee Termination	Closed			19106
4/22/2022 12:46		Battery Backup	Closed			19107
4/22/2022 12:46		EXTERNAL:RE: wEdge Outage - Friday, April 22	Closed			19105
4/22/2022 12:46		SOC Report(s) Review	Closed			19104
4/21/2022 16:09		EXTERNAL:wEdge Outage - Friday, April 22, 20	Closed			19103
4/21/2022 15:49		MAINT - Video Footage Request	Closed	sedwards		19101
4/21/2022 15:43		RE: Adams County Sheriff Office Hot Spot Fail	Closed			19100
4/21/2022 15:41		ACSO - Scott Saalborn hot spot failure	Closed			19099
4/21/2022 15:39		ACSO - Video Footage Request	Closed			19098
4/21/2022 14:59		Adams County Sheriff Office Hot Spot Failure	Closed	sedwards		19096
4/21/2022 14:59		Adobe	Closed			19095
4/21/2022 14:58		AC Sheriff Office Hot Spot Failures	Closed	sedwards		19094
4/21/2022 14:58		AC Website Additions	Closed	sedwards		19093
4/20/2022 18:29	911	Approved meeting minutes - Please post	Closed	sedwards		19090
4/20/2022 15:23		RE: LEADS - Possible DNS issue?	Closed	dhochgraber		19087
4/20/2022 14:30		HIGH: LEADS is down in Probation	Closed	dhochgraber		19086
4/20/2022 14:29		LEADS - Possible DNS issue?	Closed	dhochgraber		19085
4/20/2022 14:01	CIR	FW: EXTERNAL:GMAIL changes	Closed			19084
4/20/2022 12:46	cfc	Re: Thanks for your purchase	Closed	jeger		19083
4/20/2022 12:26	HEA-WIC	Advisory Committee on Immunization Practic	Closed			19081

INFORMATION TECHNOLOGY

2022 May Closed Tickets

Date Opened	Customer ID	Subject	Status	Assigned To	Assigned Group	Ticket ID
4/20/2022 12:25	jmcmahon	Sheriff's Office Investigations Computers	Closed			19080
4/20/2022 12:25	PRO	Sharp MX-M654N North Copier Folder	Closed			19079
4/20/2022 12:23	dcoleman	copy machine scans	Closed			19077
4/20/2022 12:23		Re: Sheriff's Office Investigations Computers	Closed			19078
4/20/2022 12:23	CIR	PC JIMS/Imaging licenses	Closed			19076
4/20/2022 12:23	CIR	New phones	Closed			19075
4/20/2022 12:21		FW: 2172772006 "cover page"	Closed	dhochgraber		19073
4/20/2022 12:21	ems	Cohl Cook Key Fob	Closed	sedwards		19072
4/20/2022 12:21	CIR	Public Computer	Closed			19071
4/20/2022 12:21	CCR	OnePassword	Closed			19069
4/20/2022 12:21	PRO	New Employee - Probation	Closed			19068
4/20/2022 12:21	CIR	RE: New phones	Closed			19067
4/20/2022 12:21	rgoodwin	SQUAD ROOM COMPUTERS	Closed			19065
4/20/2022 12:21		FW: EXTERNAL:	Closed			19064
4/20/2022 12:21	QPD	Access Fob	Closed	sedwards		19063
4/20/2022 12:21		willer subdivision covenants	Closed			19062
4/19/2022 15:57	ccr	RE: woodale	Closed	pmencer		19060
4/19/2022 15:16	ccr	phone update	Closed	rmcelroy		19056
4/19/2022 14:57	CIR	Fax machine	Closed	jeger		19052
4/19/2022 14:55	SA	FW: Undeliverable Emails (Field Reports)	Closed		Pending	19050
4/19/2022 14:55	acso	RE: RMS Update	Closed		Pending	19049
4/19/2022 14:54	jjohnson	Website Update Request	Closed	pmencer		19048
4/18/2022 16:47	ACSO-Patrol	FW: New Computer	Closed	jeger		19042
4/18/2022 14:45	CCR	RE: Websites	Closed	jeger		19040
4/18/2022 10:46	qpd	WC Cameras	Closed	sedwards		19035
4/18/2022 10:42	hhenze	FW: Your digest email	Closed		Pending	19031
4/18/2022 10:40	swebster	Detention Center Control Room Printer	Closed	jeger		19021
4/14/2022 15:47	JUD	Not emergency	Closed	rmcelroy		19018
4/14/2022 14:30	CCR	Cash Drawer	Closed	gbaugh		19017
4/14/2022 13:10	cfc	Re: Thanks for your purchase	Closed	jeger		19015
4/14/2022 11:18	cfc	Fw: Thanks for your purchase	Closed	jeger		19012
4/14/2022 9:50	PRO	Matt Hilmes - PC JIMS License	Closed	jeger		19010
4/14/2022 9:18	acso	computer	Closed	jeger		19008
4/13/2022 16:50	ayana	EXTERNAL:Mr. Dave McElroy - Adams County,	Closed	dhochgraber		19005
4/13/2022 15:43	EMA	Jessica computer speakers	Closed	jeger		19003
4/13/2022 15:09	sgoodwin	Server issues	Closed	jeger		19001
4/13/2022 14:57	tr	Computer Plugins/Powercords	Closed	gbaugh		18999
4/13/2022 14:29	sa	Connie AC STATATTORNEY (217) 277-2225	Closed	gbaugh		18995
4/13/2022 11:03	tr	Printer	Closed	jeger		18989
4/13/2022 10:36	CCR	Fwd: V-Mail from CIC (970) 330-7457 to Ryan	Closed		Pending	18986
4/13/2022 10:07	SA	RE: PCJIMS	Closed	gbaugh		18985
4/13/2022 9:32	slarson	courthouse cameras app	Closed	pmencer		18984
4/13/2022 9:17	roe	Contacts on my Phone	Closed	jeger		18981
4/12/2022 15:48	ccr	PRAIRIE CROSSING HUTTON GROWTH	Closed	pmencer		18974
4/12/2022 15:01	CIR	Printer	Closed	jeger		18971
4/12/2022 14:45	CIR	Courtroom printers	Closed	gbaugh		18970
4/12/2022 13:52	ccr	CCR - Angel new hard drive & memory	Closed	gbaugh		18966
4/12/2022 13:50	ccr	CCR - new PC for Christa	Closed	gbaugh		18965
4/12/2022 11:22	jwellman	CR 1B printer	Closed	jeger		18954
4/12/2022 11:21	sa	Re: PCJIMS Message	Closed	gbaugh		18951
4/12/2022 11:20	tr	Printers	Closed	jeger		18947
4/12/2022 11:20	SA	PCJIMS	Closed	gbaugh		18944
4/11/2022 16:29	hea	HEA - Leanne Williams unable to open jpeg	Closed	sedwards		18939

INFORMATION TECHNOLOGY

2022 May Closed Tickets

Date Opened	Customer ID	Subject	Status	Assigned To	Assigned Group	Ticket ID
4/11/2022 15:29	pro	Re: Kristin Sturhahn - Imaging	Closed	gbaugh		18937
4/11/2022 13:43	gwesterhoff	FW: Agreement 192270 Adams County	Closed		Pending	18934
4/11/2022 12:59	ccr	help	Closed		Pending	18932
4/11/2022 11:37	HEA-Admin	FW: rapid tests	Closed	rmcelroy		18931
4/11/2022 10:16	HEA-WIC	Traliant Education & Training Program	Closed	rmcelroy		18929
4/8/2022 14:01	HEA-Admin	FOIA Record Search	Closed	rmcelroy		18917
4/8/2022 12:26	kdixon	RE: Work Station #3 @ Station #1	Closed	jeger		18911
4/8/2022 12:15	hea	HEA - Telephone in Storage Room	Closed	sedwards		18910
4/8/2022 11:26	hea	HEA - Cori Moore New PC for new hire	Closed	sedwards		18906
4/8/2022 10:54	tr	Counter Computers - Barcode Font	Closed	jeger		18897
4/7/2022 14:40	pdo	Re: Phone Cord	Closed	jeger		18892
4/7/2022 11:48	ems	EMS-Reports	Closed	rmcelroy		18885
4/7/2022 10:49	sa	Message	Closed	gbaugh		18881
4/7/2022 10:48	ccr	RE: Label Maker Software	Closed	jeger		18880
4/7/2022 10:05	PRO	Lanessa Wentura - Imaging License	Closed	gbaugh		18872
4/7/2022 10:04	ccr	New Election Room Computer	Closed		Pending	18871
4/7/2022 9:36	PRO	FW: EXTERNAL:Monitor Microsoft Edge Rollou	Closed	jeger		18869
4/7/2022 9:16	ccr	Scanner	Closed		Pending	18868
4/7/2022 8:48	jmcmahon	File Transfer Access Needed	Closed		Pending	18867
4/7/2022 8:23	EMA	My desktop	Closed	jeger		18865
4/6/2022 14:28	ems	Betsy Sutton	Closed	rmcelroy		18863
4/6/2022 14:13	cbo	Re: EXTERNAL:File 22971470 - Closing April 15	Closed	jeger		18862
4/6/2022 12:10	JUV	FW: EXTERNAL:The_info_you_requested	Closed		Pending	18858
4/6/2022 11:25	ccr	Label Software	Closed		Pending	18852
4/6/2022 10:35	rboden	north squad room computer	Closed	jeger		18851
4/6/2022 9:24	acso	computer	Closed	jeger		18841
4/6/2022 9:20	cpettyjohn	Important	Closed	jeger		18838
4/6/2022 9:19	ccr	RE: CIC not connecting	Closed	rmcelroy		18835
4/5/2022 12:19	kdixon	EMS Supervisor Email Distribution List	Closed	rmcelroy		18825
4/5/2022 9:31	PRO	FW: Computer Problems	Closed	jeger		18820
4/5/2022 9:28	PRO	Justin Brock Email	Closed	rmcelroy		18819
4/4/2022 15:52	EMA	add desktop apps	Closed		Pending	18802
4/4/2022 15:50	jbrannan	junk email	Closed		Pending	18801
4/4/2022 15:50	tr	help please!	Closed	jeger		18798
4/4/2022 15:48	tr	Counter computer - no printer access	Closed	jeger		18794
4/4/2022 15:48	tdede	VPN	Closed	gbaugh		18793
4/4/2022 15:48	hea	AOK - Do Update this on my surface pro? It is	Closed	gbaugh		18791
4/4/2022 15:48	ACSO-Patrol	FW: EXTERNAL:Maintenance Notification	Closed		Pending	18792
4/4/2022 15:48	juv	Monitor and JIMS Imaging at Detention Cente	Closed		Pending	18790
4/4/2022 15:48	ccr	BOX	Closed		Pending	18789
4/4/2022 15:47	CCR	Phone	Closed	rmcelroy		18781
4/4/2022 15:47		911 FW: Outlook disconnected	Closed		Pending	18780
4/4/2022 15:47	CIR	Courtroom 1A	Closed		Pending	18779
4/4/2022 15:47	ACSO	Re: EXTERNAL:Maintenance Notification	Closed	gbaugh		18778
4/4/2022 15:47	CCR	CCR - Penny Swanson covenant add to websit	Closed	pmencer		18776
4/4/2022 15:46	fhce	Re: AOK - Do Update this on my surface pro? I	Closed	gbaugh		18775
4/4/2022 15:46	JUV	Suspicious email FW: EXTERNAL:Order:Placed	Closed		Pending	18771
4/4/2022 15:46	PRO	PC JIMS Imagining	Closed	gbaugh		18768
3/31/2022 14:55	CIR	Courtroom 1A	Closed		Pending	18760
3/31/2022 14:52	pro	Anne''s computer	Closed		Pending	18759
3/31/2022 13:55	CIR	Courtroom 3	Closed		Pending	18758
3/31/2022 13:25	corimoore	HEA - Files Access - Betty Coonrod	Closed	sedwards		18757
3/31/2022 9:32	tr	FW: Treasurer Email	Closed	rmcelroy		18742

INFORMATION TECHNOLOGY

2022 May Closed Tickets

Date Opened	Customer ID	Subject	Status	Assigned To	Assigned Group	Ticket ID
3/31/2022 9:32	acso	Re: Squad room west (Old Sgt's) Computer	Closed	gbaugh		18738
3/31/2022 9:30	PDO	Kent's Computer	Closed	jeger		18734
3/31/2022 9:29	acso	ASAP-Court Security	Closed	jeger		18725
3/30/2022 8:32	CIR	Phone Cords	Closed	jeger		18722
3/29/2022 15:47	ACSO	ACSO IT issues	Closed	gbaugh		18716
3/29/2022 15:43	SA	New employee	Closed	jeger		18715
3/29/2022 14:41	drhoades	HEA - FHCE Printer	Closed	sedwards		18711
3/29/2022 8:45	SA	Trisha's computer	Closed		Pending	18687
3/29/2022 8:43	roe	HELP	Closed	jeger		18679
3/29/2022 8:43	acso	computers	Closed	jeger		18678
3/29/2022 8:43	cpettyjohn	Important	Closed		Pending	18669
3/25/2022 9:48	ems	Printer setup	Closed		Pending	18656
3/25/2022 9:40	cdurst	Courtroom 3A	Closed	jeger		18648
3/25/2022 9:36	corimoore	HEA - setup New Computer for Johanna Voss	Closed	sedwards		18625
3/23/2022 12:22	CCR	22SEI-COQ.xlsx	Closed	dhochgraber		18604
3/23/2022 12:22	dpeters	Dawn's computer	Closed	jeger		18603
3/22/2022 10:40	ssowers	.gov	Closed	dhochgraber		18576
3/22/2022 10:39	CCR	SharePoint	Closed		Pending	18563
3/16/2022 14:01	afoster	Postmaster????	Closed	rmcelroy		18497
3/16/2022 11:41	PRO	USB to VGA Adaptor?	Closed	jeger		18494
3/16/2022 11:13	ksmith	RE: Printer	Closed	jeger		18489
3/16/2022 8:47	dgoehl	Donna Goehl issues	Closed	jeger		18478
3/16/2022 8:45	ACSO-Jail	Central Control Computer	Closed	jeger		18468
3/14/2022 9:02	pzimmerman	New squadroom South computer	Closed	jeger		18446
3/14/2022 9:02	akuhl	Squad room computer issues	Closed	jeger		18445
3/11/2022 11:26	dcoleman	one drive documents wont print	Closed	jeger		18429
3/10/2022 12:33	CCR	RE: EXTERNAL:Dell Computer - Saved Quote Ir	Closed	jeger		18421
3/10/2022 9:13	bbrennan	jail video conference	Closed	rmcelroy		18414
3/8/2022 14:15	CCR	CCR - Ryan Niekamp Door Access to Sheriff Of	Closed	sedwards		18390
3/8/2022 13:51	HEA-Admin	HEA - Katie McConnell needs new PC	Closed	sedwards		18389
3/8/2022 11:44	kkindhart	encryption	Closed	rmcelroy		18385
3/7/2022 14:01	dvandermaiden	Slow Performing Desk PC	Closed	jeger		18376
3/7/2022 9:56	kdean	Fw: Help	Closed	jeger		18357
3/3/2022 10:45	CB	CBO - Caitlin Waterman email address change	Closed	sedwards		18332
3/1/2022 14:42	rniekamp	CCR - Ryan Niekamp Quote to replace non wo	Closed	sedwards		18300
3/1/2022 12:57	jfrese	Encryption	Closed	rmcelroy		18297
2/24/2022 9:39	corimoore	HEA - Emily Andrews needs new PC	Closed	sedwards		18221
2/23/2022 10:36	jgoehl	Treasurers Office	Closed	jeger		18209
2/23/2022 9:45	sogle	Tax Records	Closed	jeger		18205
2/22/2022 13:50	JUD	Zoom meetings -	Closed	jeger		18194
2/17/2022 9:55	EMA	Computer assessment	Closed	jeger		18139
2/16/2022 13:49	bcory	Treasurer Pay Window Monitors	Closed	jeger		18134
2/15/2022 13:59	ACSO	RE: Network drive shortcut missing	Closed	rmcelroy		18124
2/14/2022 12:42	PRO	when you get a chance	Closed	jeger		18109
2/14/2022 10:35	HEA-Admin	HEA - Conf-107 add network cabling to South	Closed	sedwards		18088
2/14/2022 10:35	lkeck	PCJIMs	Closed	jeger		18079
2/10/2022 16:19	jud	RE: Courtroom 2C	Closed	jeger		18070
2/10/2022 16:17	lclampitt	RE: PS JIMS IMAGING	Closed	jeger		18064
2/10/2022 16:15	pmcelroy	RE: Debbie's email	Closed	jeger		18052
2/10/2022 16:15	slarson	Judge Larson phone, Chief judge laptop	Closed	jeger		18050
2/10/2022 16:15	CIR	Computer in Chief Judge's office	Closed	jeger		18051
1/18/2022 12:10	corimoore	HEA - Cori Moore update all Surface Pros / Lap	Closed	sedwards		17742
1/10/2022 10:33	kdixon	EXTERNAL:I AM Responding	Closed	dhochgraber		17623

INFORMATION TECHNOLOGY

2022 May Closed Tickets

Date Opened	Customer ID	Subject	Status	Assigned To	Assigned Group	Ticket ID
12/21/2021 13:25	Keri	IT - Keri Doors.NET upgrade	Closed	sedwards		17371
12/19/2021 18:50	Symantec	EXTERNAL:Symantec Integrated Cyber Defens	Closed	dhochgraber		17329
12/13/2021 14:57	ssowers	Apache Web Services URGENT	Closed	dhochgraber		17253
11/18/2021 9:43	dgoehl	(none)	Closed	dhochgraber		16907
9/29/2021 15:14	tnelson	headphones for jail sally ports	Closed	rmcelroy		16302

Monthly Report of Juvenile Detention					
ADAMS COUNTY ILLINOIS					
Monthly Report of:---->	JUVENILE DETENTION	Month---->	May	Year---->	2022
FINANCIAL SECTION					
Account Name or Purpose	NONE				
Institution Where Acct Held					
Account Number					
Your Books Beginning Balance					
Your Books Monthly Revenue					
Your Books Monthly Expense					
Your Books Ending Balance	\$0.00				
Deposits in Transit					
Expense's)/Checks not Cleared					
Institution Ending Balance	=	=====	=====		
PERSONNEL SECTION					
	Beginning Number	Leaving Employment	Declined Benefit	Ending Number	
Full Time Employees w/ Medical	24	0	1	25	
Full Time Employee that declined medical benefit - Andy Eyler (1)					
Who entered ----->					
Part Time Employees					
Not Medical Insured	5	0	0	5	
Who left----->					
Who entered ----->					
GENERAL SECTION					
STATISTICS					
		RESIDENTS	# OF DAYS		
DETENTION		8	154		
TREATMENT		0	0		
OUT OF COUNTY		<u>3</u>	<u>72</u>		
TOTAL		11	226		
LOW POPULATION		6			
HIGH POPULATION		<u>9</u>			
AVERAGE POPULATION		8			
0 OUT OF COUNTY RESIDENTS WERE HELD AT A PER DIEM OF \$105.00 FOR 0 DAYS		\$0.00			
3 OUT OF COUNTY RESIDENTS WAS HELD AT A PER DIEM OF \$120.00.00 FOR 86 DAYS		<u>\$8,640.00</u>			
		\$8,640.00			

Public Defender's Office

Cases Appointed 2022












CASE TYPE	TREND	January	February	March	April	May	June	July	August	September	October	November	December	TOTAL
Felony		50	47	67	62	52								
Felony PTR		20	27	32	17	21								
Misdemeanor		29	17	21	18	19								
Misdemeanor PTR		6	8	13	4	9								
Traffic		88	76	92	66	94								
Abuse/Neglect-Parent		13	9	12	18	7								
Abuse/Neglect-Child		4	6	10	14	10								
Inter/Super-Parent		0	0	0	0	0								
Inter/Super-Child		0	0	0	0	0								
Delinquency		2	3	3	0	2								
Invol Hosp/Med		0	2	4	2	0								
Bond Appearance		56	55	81	68	90								
Bond Prepare Only		9	10	10	9	28								
TOTAL		277	260	345	278	332	0	0	0	0	0	0	0	0

/s/ Todd R. Nelson

Public Defender

Public Defender's Office

Cases Closed 2022

CASE TYPE	TREND	January	February	March	April	May	June	July	August	September	October	November	December	TOTAL
Felony		42	59	72	32	99								
Felony PTR		22	25	29	8	47								
Misdemeanor		31	27	16	19	36								
Misdemeanor PTR		3	5	8	3	7								
Traffic		59	74	76	63	27								
Abuse/Neglect-Parent		19	26	5	2	10								
Abuse/Neglect-Child		9	5	14	2	4								
Inter/Super-Parent		0	0	0	0	0								
Inter/Super-Child		0	0	0	0	0								
Delinquency		3	4	6	3	6								
TOTAL		188	225	226	132	236	0	0	0	0	0	0	0	0

/s/ Todd R. Nelson

Public Defender

ADAMS COUNTY ILLINOIS

Monthly Report of:----> **PROBATION DEPT** **May** **2022**

FINANCIAL SECTION

Account Name or Purpose NONE
 Institution Where Acct Held
 Account Number

Your Books Beginning Balance
 Your Books Monthly Revenue
 Your Books Monthly Expense

Your Books Ending Balance
 Deposits in Transit
 Expense(s)/Checks not Cleared

=====

Institution Ending Balance

PERSONNEL SECTION

	Beginning Number	Leaving Employment	Entering Employment	Ending Number
Full Time Employees w/ Medic: without	23		1	24
Who left----->				
Who entered ----->	Nicholas Lumkins			
Part Time Employees Not Medical Insured				0
Who left----->				
Who entered ----->				

GENERAL SECTION

Monthly Activities

Adult Probation	677	Drug Tests	497
Adult Pretrial	242	Breathalyzers	1
Juvenile Probator	35	Investigations	
Community		Completed	26
Service Work	149	Public Service	
Administrative		Hours Completed	1060
Supervision	141	Case Contacts	724
		Bond Reports	59
Total	1244		

ADAMS COUNTY ILLINOIS

Monthly Report of:---->

SUPERVISOR OF ASSESSMENTS
BOARD OF REVIEW

May, 2022

FINANCIAL SECTION

Account Name or Purpose
Institution Where Account Held
Account Number

NONE

RECEIVED

JUN 01 2022

Your Books Beginning Balance
Your Books Monthly Revenue
Your Books Monthly Expense

ADAMS COUNTY CLERK

Your Books Ending Balance
Deposits in Transit
Expenses/Checks not Cleared

=====

Institution Ending Balance

PERSONNEL SECTION

	Beginning Number	Leaving Employment	Entering Employment	Ending Number
Full Time Employees w/ Medical	3			3

Who left----->

Who entered ----->

Part Time Employees Not Medical Insured	3			3
--	---	--	--	---

Who left----->

Who entered ----->

GENERAL SECTION

During May we have received either in person or by mail 66 Senior Citizen Homestead Exemption renewals, 429 PTAX 340 Freeze Applications, 7 Disabled Veterans' Exemption renewals, and 8 Person with Disabilities Exemption renewals. We processed 129 MyDec real estate declarations for the month of April. We have received all 23 township workbooks from the assessors and we are working on the 2022 assessment changes.

On May 31, 2022 the Farmland Review Committee and the Board of Review held a joint meeting with a public hearing to receive public comment on the proposed use-value assessment figures for 2023 and the county's plan of implementation. The Board of Review held their organizational meeting for the 2022 assessment year.

ADAMS COUNTY TREASURER

MONTHLY REPORT

MAY 2022

FINANCIALS


Account	Flex Account		Medical Insurance Expense Fund	Treasurer Cash	Federal Drug Traffic
Beginning Balance	\$14,039.87	Beginning Balance	\$93,439.28	\$17,626.28	\$21,911.81
Posted Interest	\$2.72	Revenue	\$229,412.99	\$2,085.73	\$51.85
Flex Transfers In	\$14,813.44	Transfers In	\$150,000.00	\$13,209,178.01	-
Flex Claims	\$13,567.66	Transfers Out	\$520.00	\$8,809,178.01	-
Flex Admin Expenses	\$166.50	Expenses	\$422,924.22	\$173.85	-
Flex Transfers Out	-				
Subtotal:		Bank Balance	\$49,408.05	\$4,419,538.16	\$21,963.66
Flex Cash on Deposit	-	Deposits in Transit	-	\$323.14	-
Posted Interest (total YTD)	\$19.25	Outstanding Checks	-	-	-
Ending Balance	\$15,121.87	Ending Balance	\$49,408.05	\$4,419,861.30	\$21,963.66

PERSONNEL

Full Time Employees w/Medical 4
 Full Time Employees w/o Medical 1

GENERAL

Real estate tax bills have been mailed and collection of payments has begun.



F. Bryden Cory, Adams County Treasurer



RECEIVED

MAY 13 2022

ADAMS COUNTY CLERK

UPCOMING VEGETATION ACTIVITIES NOTIFICATION

Please be advised that Ameren will perform vegetation management in your area in the near future. Our professional vegetation management specialists will be managing vegetation on rights-of-ways that could affect our electric lines. The vegetation management work is necessary to protect the integrity of the electric system and to prevent potential safety hazards.

This work might include: aerial or manual trimming, removal of vegetation, mowing, application of environmentally-safe herbicides, and inspections as necessary in your area. Interested persons may call the Ameren toll free number 1- 800-232-2477 or visit www.ameren.com/transmission to understand any potential dispute resolution opportunities, processes, rights and/or remedies. Common addresses of properties affected by the planned vegetation management have been provided to the office of the mayor of any affected municipality and the office of the county board chairperson. Customers and property owners may appeal the particular vegetation work planned on their property by: 1) calling the Ameren toll free number 1-800-232-2477 referencing Code TMT, 2) accessing the website mentioned above referencing Code TMT-Contact Us, or 3) contacting the Illinois Commerce Commission Consumer Services Division at 1-800-524-0795.

Sincerely,
Ameren



1901 Chouteau Avenue
PO Box 66149

St. Louis, MO 63166-6149

Ameren.com



RECEIVED

MAY 13 2022

ADAMS COUNTY CLERK

**IL Veg Maintainance
Adams County**

Name	Address1	Address2	City	State	Zip	County
ALLAIN, DONNA L		2592 HIGHWAY 96 N	URSA	IL	623762222	Adams
BLAND, JAMES S & MARIAN P, TR		832 N 2800TH AVE	MENDON	IL	623512514	Adams
BLESSING HOSPITAL	% STATE STREET BANK	4820 BROADWAY ST	QUINCY	IL	623059113	Adams
BLICKHAN, J DAVID & SUSAN		796 N 1850TH AVE	QUINCY	IL	623050056	Adams
BOARD OF CEMETERY TRUSTEES OF URSA TOWNSHIP	% DAVID & KAREN SHAFFER	411 SHAFFER LN	URSA	IL	623761116	Adams
BOWMAN, WALTER S & FREDA M		2682 E 800TH ST	MENDON	IL	623512618	Adams
BRASSFIELD, CHRISTINA M & CATHLEEN S BADGLEY, TRUSTEES		4319 KOCHS LN	QUINCY	IL	623057629	Adams
CEDAR CREST COUNTRY CLUB		3312 N 36TH ST	QUINCY	IL	623050503	Adams
CORNWELL, DARLENE A, TRUSTEE	% SUNSET APTS #107	301 N 8TH ST	QUINCY	IL	623012759	Adams
CORNWELL, KASEY & LINDSEY		809 N 2100TH AVE	URSA	IL	623762038	Adams
CORNWELL, LON E & CAROL S		1974 HIGHWAY 96 N	QUINCY	IL	623050073	Adams
CRAMM, CRAIG S & JENNIFER L		2271 E 823RD LN	URSA	IL	623762001	Adams
CROW, ROGER F		2705 E 800TH ST	MENDON	IL	623512616	Adams
DEDERT, CAROLYN S		5933 HIGHWAY 24 E	QUINCY	IL	623050554	Adams
DEDERT, HARVEY J		4615 N 48TH ST	QUINCY	IL	623050572	Adams
DEDERT, KENT C & JANE S, TR		7010 STATE HIGHWAY 96 N	QUINCY	IL	623058102	Adams
DEER VALLEY TRUST		1063 S STATE ROUTE 157 STE 2218	EDWARDSVILLE	IL	620253685	Adams
DEMPSEY, DENNIS C		5832 N 45TH ST	QUINCY	IL	623050567	Adams
DEMPSEY, SHARON KAY & DENNIS C DEMPSEY, TRUSTEES		5801 N 42ND ST	QUINCY	IL	623050570	Adams
DOYLE, BRAD & MARY		775 N 2680TH AVE	URSA	IL	623762227	Adams
DOYLE, DAVID R & MELINDA		2642 E 800TH ST	MENDON	IL	623512618	Adams
DUNCAN, J DAVID & LINDA M, TRUST		902 HIGHWAY 61	MENDON	IL	623512626	Adams
ELLERBROCK, KENNETH L & DONI J		755 N 2400TH AVE	URSA	IL	623762015	Adams
HARNESS, L KENT & THERESA B		597 E COUNTY ROAD 100	SUTTER	IL	623735134	Adams
HEBERLEIN, KENT W & DARLA J		805 N 2286TH PL	URSA	IL	623762051	Adams
HEMMING, EARL D & NILA		PO BOX 33	URSA	IL	623760033	Adams
HESSE, JAMES E & MARGARET L		1867 N 2400TH AVE	MENDON	IL	623512800	Adams
IPPENSEN, DENNIS E, ET AL	% GERALDINE M IPPENSEN	1131 SPRING LAKE RD	QUINCY	IL	623057762	Adams
JANSEN, STEVEN G		4421 N 60TH ST	QUINCY	IL	623050640	Adams
JENKINS, LARRY L & GLORIA J		830 N 1850TH AVE	QUINCY	IL	623050058	Adams
KLAUSER, LOREN & S A AND VIRGIL & DIANA KLAUSER		2296 E 603RD LN	URSA	IL	623762029	Adams
MAYNARD, ROBERT V & MONICA L		1167 N 2600TH AVE	MENDON	IL	623512712	Adams
METZGER, STEVEN G		2200 E 823RD LN	URSA	IL	623762000	Adams

RECEIVED

MAY 13 2022

ADAMS COUNTY CLERK

**IL Veg Maintainance
Adams County**

NUESSEN, LANA L, TRUST
 OSTEEN, MARSHA A
 PARKER, ROBERT F & ROSEMARY
 PORTER, ERMA, TR
 RABE, MICHAEL L & PAMELA J
 SCHNELLE, CAROLYN J, TR
 SCHRADER, ESTHER A, TR
 SCHRADER, KEVIN P & DIANE K
 SHAFFER, CRAIG L & CURTIS L
 SHAFFER, LAVERN L & JEANETTE M, TRUSTEES
 SHRIVER BROTHERS PARTNERSHIP
 SPIRIT KNOB FARMS, INC
 STEGEMAN, PAUL A & JILL S
 STRATTON, D MAXINE, TRUSTEE
 SWANSON, JOHN M & REBECCA K
 TALLCOTT, JAMES R & STACY L
 VENVERTLOH, JOSEPH B & K M
 VENVERTLOH, LEROY R & MARY R
 WEGS, DONNA M
 WEISENBORN, JAMES R & MARY ANN, TRUST
 WEISENBORN, STEVEN R, ET AL AJSTS LAND TRUST
 WITTLER, BRUCE C & MARTHA J
 WRAY, SCOTT A & SUSAN L
 WRAY, WENDELL A & SANDRA S
 YORK BRUCE A & SUSAN A, CO-TR

% DAN SHRIVER

STEVEN & T J WEISENBORN, CO-TR

967 900 E ST
 11426 SEDGEMOORE DR E
 2782 HIGHWAY 96 N
 2739 PARKWOOD DR
 815 N 2300TH AVE
 611 N 2353RD LN
 2745 E 800TH ST
 2770 E 800TH ST
 2507 HIGHWAY 96 N
 807 N 2450TH AVE
 2427 E 875TH ST
 PO BOX 10
 3318 SPRING LAKE RD
 756 N 3000TH AVE
 4435 ELLINGTON RD
 7220 HIGHWAY 96 N
 3527 SPRING LAKE RD
 4704 ELLINGTON RD
 105 GRIZZLY LN
 2130 HARRISON ST
 2421 N 24TH ST
 6023 N 45TH ST
 319 W MAPLE AVE
 825 N 1850TH AVE
 7332 HIGHWAY 96 N

MOUNT STERLING	IL	623531183	Adams
JACKSONVILLE	FL	322231383	Adams
URSA	IL	623762234	Adams
QUINCY	IL	623057886	Adams
URSA	IL	623762003	Adams
URSA	IL	623762018	Adams
MENDON	IL	623512616	Adams
MENDON	IL	623512617	Adams
URSA	IL	623762223	Adams
URSA	IL	623762201	Adams
URSA	IL	623762200	Adams
URSA	IL	623760010	Adams
QUINCY	IL	623050518	Adams
SUTTER	IL	623736003	Adams
QUINCY	IL	623050622	Adams
QUINCY	IL	623058113	Adams
QUINCY	IL	623050517	Adams
QUINCY	IL	623050623	Adams
LAKE OZARK	MO	650498000	Adams
QUINCY	IL	623016756	Adams
QUINCY	IL	623051211	Adams
QUINCY	IL	623050589	Adams
URSA	IL	623761105	Adams
QUINCY	IL	623050072	Adams
QUINCY	IL	623058176	Adams



3311 109th Street • Urbandale, Iowa 50322 Tel:
515.331.2103 • Fax: 515.331.1728
gss@gssmidwest.com • www.gssmidwest.com

May 11, 2022

Project #: W22137

Ryan A. Niekamp, Adams County Clerk
507 Vermont St, Ste G02
Quincy, IL 62301
217-277-2150
Email: countyclerk@co.adams.il.us

RECEIVED

MAY 16 2022

ADAMS COUNTY CLERK

RE: NOTICE OF INITIATION OF THE SECTION 106 PROCESS-PUBLIC PARTICIPATION
U.S. CELLULAR, QUINCY CRAN 025 #673433-QUINCY, ADAMS COUNTY, ILLINOIS

Notice of Initiation of the Section 106 Process-Public Participation in accordance with the FCC’s Nationwide Programmatic Agreement. Notice of Initiation of the Section 106 Process-Public Participation in accordance with the FCC’s Nationwide Programmatic Agreement. U.S. Cellular intends to construct a communications facility at an address TBD Broadway Street, Quincy, Adams County, Illinois (Latitude: N 39 56 6.99 and Longitude: W 91 20 11.14). The facility will include a wood utility pole telecommunications tower with an approximate overall height of 38 ft. and associated equipment. U.S. Cellular is publishing this notice in accordance with Federal Communications Commission regulations (47 CFR § 1.1307) for Section 106 of the National Historic Preservation Act (NHPA) and for the National Environmental Policy Act (NEPA).

U.S. Cellular must comply with all Federal, State and local regulations governing the proposed facility. Section 106 of the National Historic Preservation Act of 1966, as amended, requires U.S. Cellular to evaluate this project for any effect it may have on Historic Properties. As part of this evaluation, U.S. Cellular is required to publish Public Notice in an effort to gather comments on the potential effects of the proposed facility on Historic Properties.

The purpose of this letter is to:

- Notify your office that Public Notice seeking comments on the potential effects of the proposed construction on Historic Properties is scheduled to be published in the Quincy Herald Whig on May 12, 2022.
- Invite comments on the potential effects of the proposed facility on Historic Properties, from your office and any other relevant individuals or groups that you may be aware of.

Attached to this letter are the following: a topographic map, street map, aerial photograph, site photographs (when available), drawings (when available), and a copy of the wording placed in the Public Notice.

We respectfully request that parties interested in submitting comments regarding any potential effects of the proposed facility on Cultural or Historic Properties, or questions regarding the project, may do so by sending them to GSS, Inc., 3311 109th Street, Urbandale, IA 50322 or by calling (515) 331-2103 within 30 days of the date of this letter.

Sincerely,
GSS, INC.

Christopher Lenihan
Project Manager
Enclosure




FIGURE 1 – TOPOGRAPHIC MAP
 U.S. CELLULAR
 QUINCY CRAN 025 #673433 / GSS PROJECT #W22137
 QUINCY EAST, IL QUAD 2021
 SECTION: 33, TOWNSHIP: 1S, RANGE: 8W








FIGURE 2 – STREET MAP
 U.S. CELLULAR
 QUINCY CRAN 025 #673433 / GSS PROJECT #W22137
 QUINCY, ILLINOIS



Google Earth



FIGURE 3 – AERIAL IMAGE
U.S. CELLULAR
QUINCY CRAN 025 #673433 / GSS PROJECT #W22137
QUINCY, ILLINOIS



FAA 1A SURVEY CERTIFICATION

Applicant: US Cellular
8410 West Bryn Mawr Avenue
Chicago, IL 60631

Site Name: Quincy CRAN 025_H

Site Address: Broadway Street
Quincy, IL 62305
Adams County

- Horizontal Datum:** GPS Survey Ground Survey
- Vertical Datum:** GPS Survey Ground Survey NGVD 1929 (AMSL)
- Structure Type:** New Tower Existing Tower (Monopole)
- Water Tank Smoke Stack
- Proposed Wood Utility Pole Existing Utility Pole

Latitude: 39°56'06.99" N (NAD 83) / 39.935275 N

Longitude: 91°20'11.14" W (NAD 83) / 91.336427 W

Ground Elevation: 736'-2" (NAVD 88)


Top of Structure: 34'-0" AGL (770'-2" AMSL)

Highest Appurtenance: 37'-3" AGL (773'-5" AMSL)

Certification: I certify that the latitude and longitude are accurate to within +/- 20 feet horizontally and that the site elevation is accurate to within +/- 3 feet vertically. The horizontal datum is in terms of the North American Datum of 1983 (NAD 83) and are expressed in degrees, minutes and seconds, to the nearest hundredth of a second. The vertical datum is in terms of the North American Vertical Datum of 1988 (NAVD88) and is referenced to the nearest foot.

Company: Tilson
16 Middle Street 4th Floor, Portland, ME 04101

PE Signature:



QUINCY CRAN 025 PROPOSED RADIO EQUIPMENT CABINET AND ANTENNA


LOCATION CODE: 673433

BROADWAY STREET
QUINCY, IL 62305

LAT: 39°56'06.99" (N) / 39.935275° (N)
LONG: 91°20'11.14" (W) / 91.336427° (W)



SATELLITE IMAGE



STREET MAP

PROJECT SUMMARY	
SITE NAME:	QUINCY CRAN 025
POLE NUMBER:	1287
SITE ADDRESS:	BROADWAY STREET QUINCY, IL 62305 ADAMS COUNTY
STRUCTURE OWNER:	SQF, LLC
SERVICE TERRITORY:	ELE - AMEREN TEL - ADAMS FIBER
APPLICANT:	U.S. CELLULAR/SQF
ROW OWNER:	STATE
MAP/BLOCK/LOT:	236178000000
TAX MAP ADDRESS:	N/A
STRUCTURE TYPE:	PROPOSED 40' CLASS 2 WOOD UTILITY POLE

SHEET INDEX	
SHEET NUMBER	DESCRIPTION
CD-1	TITLE SHEET
CD-2	GENERAL NOTES
CD-3	PROPOSED LOCATION PLAN
CD-4	POLE ELEVATION AND ORIENTATION
CD-5	POLE GROUNDING AND WIRING
CD-6	EQUIPMENT DETAILS
CD-7	USCC PLUMBING DIAGRAM
CD-8	ANTENNA SPEC SHEET

CONSTRUCTION DRAWING			
PREPARED FOR:			
SUBMITTALS			
REV	DATE	ISSUED FOR	DRAWN BY
1	4/5/22	INITIAL REVIEW	KSB
16 MIDDLE STREET, 4TH FLOOR, PORTLAND, ME 04101 T: (207) 591-6427 INFO@TILSONTECH.COM TILSONTECH.COM			
QUINCY CRAN 025 BROADWAY STREET QUINCY, IL 62305 ADAMS COUNTY			
SHEET TITLE			
TITLE SHEET			
DRAFTED BY:	APPROVED BY:	SHEET:	REV
KSB	MPB	CD-1	0

GENERAL NOTES:

1. ALL UNDERGROUND UTILITY INFORMATION PRESENTED HEREIN WAS DETERMINED BY ENGINEER FROM SURFACE EVIDENCE AND PLANS ON RECORD. ALL UNDERGROUND UTILITIES SHOULD BE LOCATED IN THE FIELD BY CONTRACTOR PRIOR TO COMMENCEMENT OF ALL SITE WORK. CONTRACTOR SHALL CALL DIGSAFE A MINIMUM OF 72 HOURS PRIOR TO PLANNED CONSTRUCTION ACTIVITY.
2. ALL WORK SHALL BE COMPLETED BY CONTRACTOR IN ACCORDANCE WITH ALL GUIDELINES AND REGULATIONS OUTLINED IN WORK PERMITS FURNISHED BY ENGINEER.
3. ALL WORK SHALL BE PERFORMED IN ACCORDANCE WITH NFPA-70, NESC (LATEST EDITION), AND ALL LOCAL BUILDING CODES AND STANDARDS.
4. THE CONTRACTOR SHALL FURNISH ALL MATERIALS, EQUIPMENT, AND LABOR TO COMPLETE ELECTRICAL SYSTEMS SHOWN ON THESE PLANS AS SPECIFIED HEREIN. THE INTENT OF THESE SPECIFICATIONS AND CONTRACT DRAWINGS IS TO PROVIDE DETAILS OF THE VARIOUS SYSTEMS DESCRIBED HEREIN AND INDICATED ON THESE DRAWINGS. ANY LISTING OR INDICATION OF ITEMS FURNISHED OR WORK TO BE PERFORMED SHALL NOT BE COMPLETE IN ITSELF AND SHALL NOT LIMIT THE GENERAL REQUIREMENTS TO FURNISH AND INSTALL EQUIPMENT, ACCESSORIES, CONTROLS, ETC., TO COMPLETE THE CONTRACT IN A SUBSTANTIAL AND FULLY FUNCTIONAL MANNER.
5. THE CONTRACTOR SHALL VISIT THE SITE WITH PLANS AND SPECIFICATIONS IN HAND AND SHALL BECOME THOROUGHLY FAMILIAR WITH ALL CONDITIONS UNDER WHICH CONSTRUCTION ACTIVITIES WILL BE PERFORMED. THE CONTRACTOR SHALL CONFIRM PRIOR TO COMMENCING WORK THAT SUCH EXAMINATION HAS BEEN MADE AND DIFFICULTIES, IF ANY, NOTED AND REPORTED TO THE ENGINEER. CLAIMS FOR EXTRA COST OF LABOR, MATERIALS, AND EQUIPMENT REQUIRED FOR ANY DIFFICULTIES ENCOUNTERED WHICH COULD HAVE BEEN FORESEEN WILL NOT BE RECOGNIZED.
6. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND CONDITIONS IN THE FIELD PRIOR TO FABRICATION AND/OR ERECTION OF ANY MATERIALS OR EQUIPMENT. ANY UNUSUAL CONDITIONS SHALL BE REPORTED TO THE ENGINEER.
7. THE CONTRACTOR SHALL CLEAN AND REMOVE DEBRIS AND SEDIMENT DEPOSITED ON PUBLIC STREETS, SIDEWALKS, ADJACENT AREAS, OR OTHER PUBLIC WAYS DUE TO ANY CONSTRUCTION ACTIVITY IN A TIMELY MANNER.
8. CONTRACTOR SHALL INCORPORATE PROVISIONS (AS NECESSARY) IN CONSTRUCTION TO PROTECT EXISTING STRUCTURES, PHYSICAL FEATURES, AND MAINTAIN SITE STABILITY DURING CONSTRUCTION. CONTRACTOR SHALL RESTORE ALL AREAS TO ORIGINAL CONDITION AND AS DIRECTED BY PLANS.
9. THE CONTRACTOR SHALL TAKE FULL RESPONSIBILITY FOR ANY CHANGES AND DEVIATION FROM APPROVED PLANS NOT AUTHORIZED BY THE ENGINEER.
10. DETAILS SHOWN ARE INTENDED TO SHOW END RESULT BASED ON ENGINEERING DESIGN. ANY MODIFICATION TO SUIT FIELD DIMENSIONS AND/OR CONDITIONS SHALL BE SUBMITTED TO THE ENGINEER FOR REVIEW AND APPROVAL PRIOR TO ANY WORK.
11. BEFORE THE FINAL ACCEPTANCE OF THE PROJECT, THE CONTRACTOR SHALL REMOVE ALL EQUIPMENT AND MATERIALS, REPAIR OR REPLACE PRIVATE OR PUBLIC PROPERTY WHICH MAY HAVE BEEN DAMAGED OR DESTROYED DURING CONSTRUCTION, CLEAN ALL AREAS WITHIN AND ADJACENT TO THE PROJECT WHICH HAD BEEN OBSTRUCTED BY HIS/HER OPERATIONS, AND LEAVE THE PROJECT SITE NEAT AND ACCEPTABLE TO THE ENGINEER.
12. ASSESSMENTS OF ENVIRONMENTAL IMPACTS DETERMINED BY ANY AUTHORITY HAVING JURISDICTION (A.H.J.) WILL BE PERFORMED BY OTHERS. UNLESS OTHERWISE SPECIFIED, COORDINATE AND ELEVATION INFORMATION ARE TAKEN FROM GOOGLE EARTH AND NO SURVEY HAS BEEN COMPLETED.

MATERIAL NOTES:

14. ALL EQUIPMENT, CONDUCTORS, AND DEVICES SHALL COMPLY WITH NESC (LATEST EDITION) REQUIREMENTS AND LOCAL UTILITY SPECIFICATIONS.
15. ALL EQUIPMENT, RACEWAYS, CABLES, AND CONDUCTORS SHALL BE PROPERLY ANCHORED TO THE UTILITY POLE OR LIGHTING FIXTURE PER NESC REQUIREMENTS AND LOCAL UTILITY SPECIFICATIONS.
16. ALL GROUNDING SHALL BE IN ACCORDANCE WITH NESC REQUIREMENTS AND LOCAL UTILITY SPECIFICATIONS. GROUND CONDUCTORS SHALL NOT BE SMALLER THAN #6 AWG COPPER, UNLESS OTHERWISE SPECIFIED.
17. BOLT HOLES SHALL BE PUNCHED OR DRILLED. FLAME CUT HOLES ARE NOT ACCEPTABLE.
18. INSTALL ALL EQUIPMENT AND DEVICES PLUMB AND LEVEL, ACCURATELY FITTED, AND FREE FROM DISTORTIONS AND/OR DEFECTS.
19. NOTIFY THE ENGINEER PRIOR TO FIELD CUTTING OR MODIFYING APPROVED EQUIPMENT.
20. ALL BOLTS, ANCHORS, AND MISCELLANEOUS HARDWARE SHALL BE GALVANIZED IN ACCORDANCE WITH ASTM A153 - ZINC COATING (HOT-DIP) ON IRON AND STEEL HARDWARE.
21. ALL ELECTRICAL EQUIPMENT SHALL BE HOUSED IN NEMA 3R ENCLOSURES.
22. WHEN APPLICABLE, ALL PROPOSED NEW WOOD UTILITY POLES SHALL BE CONSTRUCTION GRADE C OR BETTER.
23. ALL PROPOSED NEW WOOD UTILITY POLES SHALL BE CLASS 2, UNLESS OTHERWISE SPECIFIED.

CONTRACTOR NOTES:

24. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO PROTECT EXISTING FEATURES (TO REMAIN) AND TO REPAIR OR RESTORE ANY THAT ARE DAMAGED, DESTROYED OR ALTERED AS A RESULT OF THE SCOPE OF WORK.
25. ALL SIDEWALK AND PAVEMENT SURFACES ALTERED DURING CONSTRUCTION TO BE REPAIRED PER THE LOCAL JURISDICTION'S REQUIREMENT AND THE DEPARTMENT OF TRANSPORTATION.
26. BEFORE COMMENCING ANY EXCAVATIONS, CONTRACTOR TO NOTIFY EACH UTILITY OWNER HAVING UNDERGROUND UTILITIES LOCATED IN THE PROJECT LIMITS NOT LESS THAN TWO OR MORE THAN 10 WORKING DAYS PRIOR TO STARTING. CALL 8-1-1 NOT LESS THAN 2 BUSINESS DAYS BEFORE WORK COMMENCES.
27. GENERAL CONTRACTOR AND CONSTRUCTION MANAGER ARE TO POT HOLE IN ORDER TO LOCATE ALL EXISTING UTILITIES AND THEIR DEPTHS PRIOR TO BORING OR OPEN TRENCHING.
28. IN EXCAVATING TRENCHES AND INSTALLING CONDUIT, WHERE ANY EXISTING UTILITIES CROSS THE TRENCH, THEY SHALL BE PROTECTED, SUPPORTED AND MAINTAINED IN SERVICE AND RESTORED TO THE CONDITION IN WHICH THEY WERE FOUND.
29. BURIED POWER CONDUIT TO BE PLACED A MINIMUM OF 3'-0" BELOW GRADE. BURIED CONDUIT TO MAINTAIN A MINIMUM HORIZONTAL CLEARANCE OF 2' TO ANY EXISTING UNDERGROUND UTILITIES, AND 1' VERTICAL CLEARANCES FOR ANY CROSSINGS.
30. PROPOSED BURIED CONDUIT TO BE A MINIMUM OF SCH. 40 PVC.
31. ALL PROPOSED EQUIPMENT AND CABINETS SHALL NOT INFRINGE UPON ADA ACCESSIBILITY GUIDELINES.


PAINTING NOTES:



1. THE CONTRACTOR SHALL BE RESPONSIBLE FOR LABOR, MATERIALS, APPARATUS, AND APPURTENANT WORK IN CONNECTION WITH PAINTING AND COATING SYSTEMS REQUIRED FOR EITHER MATERIAL PROTECTION OR MITIGATION OF VISUAL IMPACT AS INDICATED IN THESE DRAWINGS.
2. REFERENCE SHEET CD-4 FOR ITEMS REQUIRING APPLICATION OF PAINT OR OTHER COATING SYSTEMS.
3. MECHANICAL OR ELECTRICAL EQUIPMENT WITH A FACTORY FINISH (ENAMEL, POWDER COAT, OR SIMILAR) SHALL NOT BE PAINTED UNLESS NOTED OTHERWISE.
4. CONTRACTOR SHALL NOT PAINT OVER ANY CODE-REQUIRED LABELS, SUCH AS UNDERWRITER'S LABORATORIES (UL) OR FACTORY MUTUAL (FM), OR OVER ANY EQUIPMENT IDENTIFICATION, PERFORMANCE RATING, NAME OR TECHNICAL NOMENCLATURE PLATES.
5. SURFACE PREPARATION AND PRIMING SHALL BE IN ACCORDANCE WITH THE SPECIFIC REQUIREMENTS OF THE MANUFACTURER OF THE COATING SYSTEM BEING APPLIED.
6. APPLICATION MAY BE BY EITHER BRUSH OR ROLLER AT THE CONTRACTOR'S DISCRETION UNLESS NOTED OTHERWISE.
7. FINISHED SURFACES SHALL BE FREE FROM RUNS, DROPS, RIDGES, VISIBLE BRUSH MARKS, VARIATIONS IN COLOR, AND OTHER SIMILAR VISIBLE DEFECTS. CONTRACTOR SHALL UTILIZE MASKING, DROP CLOTHS AND OTHER SUCH PRECAUTIONARY MEASURES AS REQUIRED TO PROTECT ADJOINING MATERIALS.
8. APPLICATION OF PAINT SHALL NOT IMPEDE OPERATION OF MOVING OR OPERABLE PARTS, SUCH AS HINGES, THREADED FITTINGS, LOCK CYLINDERS, OPERABLE LATCHES, AND SIMILAR COMPONENTS UNLESS OTHERWISE NOTED.
9. RECOMMENDED COATINGS ARE SUMMARIZED ON SHEET CD-6. ALTERNATE COATING SYSTEMS MAY BE ACCEPTABLE, PROVIDED THAT THEY ARE ESTABLISHED TO THE SATISFACTION OF THE ENGINEER AS BEING COMPATIBLE WITH THE APPLICATION IN QUESTION AND EQUAL IN QUALITY AND PERFORMANCE TO THE COATING LISTED. THE CONTRACTOR SHALL PROVIDE DOCUMENTATION TO THE SATISFACTION OF THE ENGINEER PRIOR TO STARTING WORK.

UTILITY COORDINATION NOTES:

1. CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATION WITH THE POWER AND TELECOMMUNICATIONS COMPANIES AND SHALL COMPLY WITH THE SERVICE REQUIREMENTS FOR EACH UTILITY COMPANY.
2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR INSTALLATION OF ELECTRICAL SYSTEMS SHOWN ON THESE PLANS UP TO THE POINT OF SERVICE OF THE ELECTRICAL UTILITY PROVIDER. SERVICE REQUIREMENTS BELOW SHALL BE CONSIDERED TYPICAL UNLESS NOTED OTHERWISE ON SHEET CD-4.
 - 2.1. FOR AERIAL POWER DELIVERY, THE POINT OF SERVICE SHALL BE AT THE WEATHER HEAD. THE CONTRACTOR SHALL BE RESPONSIBLE FOR LEAVING SUFFICIENT WIRE LENGTH BEYOND THE WEATHER HEAD TO PERMIT ATTACHMENT BY THE ELECTRICAL UTILITY PROVIDER AND IN ACCORDANCE WITH THE SERVICE REQUIREMENTS OF THE ELECTRICAL UTILITY PROVIDER.
 - 2.2. FOR UNDERGROUND POWER DELIVERY, THE POINT OF SERVICE SHALL BE AT THE METER ENCLOSURE. THE ELECTRICAL UTILITY SHALL BE RESPONSIBLE FOR INSTALLATION OF SERVICE CONDUCTORS, RISER AND UNDERGROUND CONDUIT TO THE POWER SOURCE.
 - 2.3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR INSTALLATION OF FIBER-OPTIC SYSTEMS SHOWN ON THESE PLANS UP TO THE POINT OF SERVICE OF THE TELECOMMUNICATIONS UTILITY PROVIDER.
- 3.1. FOR UNDERGROUND DELIVERY, THE POINT OF SERVICE SHALL BE AT THE FIBER-OPTIC SPLICE HANDHOLE LOCATED APPROXIMATELY 6' FROM THE BASE OF THE UTILITY POLE OR AS SHOWN IN THESE DRAWINGS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING ADEQUATE SLACK LENGTH TO PERMIT SPLICING BY THE TELECOMMUNICATION PROVIDER.
- 3.2. FOR OTHER METHODS OF DELIVERY, SEE DETAILS ON SHEET CD-4
- 3.3. SPECIAL INSTALLATION PROVISIONS (IF REQUIRED) SHALL BE DETAILED ON SHEET FO-1

CONSTRUCTION DRAWING			
PREPARED FOR:			
			
SUBMITTALS			
REV	DATE	ISSUED FOR	DRAWN
1	4/5/22	INITIAL REVIEW	KSB
			
			
On a Mission 16 MIDDLE STREET, 4TH FLOOR, PORTLAND, ME 04101 T: (207) 591-6427 INFO@TILSONTECH.COM TILSONTECH.COM			
QUINCY CRAN 025 BROADWAY STREET QUINCY, IL 62305 ADAMS COUNTY			
SHEET TITLE			
GENERAL NOTES			
DRAFTED BY:	APPROVED BY:	SHEET:	REV
KSB	MPB	CD-2	0





- NOTES:
- EQUIPMENT PLACEMENT TO BE VERIFIED IN FIELD.
 - RADIO/ELECTRICAL EQUIPMENT SHALL NOT BE INSTALLED ON THE ROAD SIDE OF THE POLE.
 - CONDUITS SHALL NOT BE INSTALLED ON THE FACE OF THE POLE THAT IS CLOSEST TO THE ROAD.



EQUIPMENT ORIENTATION PLAN
NOT TO SCALE

CONSTRUCTION DRAWING

PREPARED FOR:
U.S. Cellular

SUBMITTALS

REV	DATE	ISSUED FOR	DRAWN
1	4/5/22	INITIAL REVIEW	KSB





LICENSED PROFESSIONAL ENGINEER
 MATTHEW P. BALLOG
 062-066401
 4-7-22
 OF ILLINOIS

TILSON
 On a Mission
 16 MIDDLE STREET, 4TH FLOOR,
 PORTLAND, ME 04101
 T: (207) 591-6427
 INFO@TILSONTECH.COM TILSONTECH.COM

QUINCY CRAN 025
 BROADWAY STREET
 QUINCY, IL 62305
 ADAMS COUNTY

SHEET TITLE
 POLE ELEVATION
 & ORIENTATION

DRAFTED BY:	APPROVED BY:	SHEET:	REV
KSB	MPB	CD-4	0



CONSTRUCTION DRAWING
 PREPARED FOR:

 SUBMITTALS

REV	DATE	ISSUED FOR	DRAWN
1	4/5/22	INITIAL REVIEW	KSB

LICENSED PROFESSIONAL ENGINEER


 OF ILLINOIS

TILSON
 On a Mission
 16 MIDDLE STREET, 4TH FLOOR,
 PORTLAND, ME 04101
 T: (207) 591-6427
 INFO@TILSONTECH.COM TILSONTECH.COM

QUINCY CRAN 025
 BROADWAY STREET
 QUINCY, IL 62305
 ADAMS COUNTY

SHEET TITLE
 POLE GROUNDING
 AND WIRING


DRAFTED BY:	APPROVED BY:	SHEET:	REV
KSB	MPB	CD-5	0




AMPHENOL ANTENNA DETAILS
 M/N: CUT360X06F00
 ORIENTATION: 0°
 MECHANICAL TILT: 0°
 NOT TO SCALE

LIST OF EQUIPMENT				
QTY.	MODEL	MANUFACT.	WEIGHT (LBS)	TYPE
1	AHFIB	NOKIA	66.0	RADIO
1	CUT360X06F00	AMPHENOL	21.5	ANTENNA
1	RUSAC-1AN2-P-24 0-1	RAYCAP	60.0	LOAD CENTER/ POWER SUPPLY
1	CWT-MKS-BASE-00	AMPHENOL	30.6	ANTENNA MOUNT

CONTRACTOR TO USE 2 JUMPER CONFIGURATION, PLEASE REFER TO LATEST PLUMBING DIAGRAM ON CD-7.




NOKIA RADIO DETAILS
 DUAL BAND AHFIB
 NOT TO SCALE



ANTENNA MOUNTING DETAILS
 WIDE DIAMETER POLE TOP MOUNT BRACKET
 AMPHENOL P/N: CWT-MKS-BASE-00
 NOT TO SCALE

PAINT SCHEDULE				
SURFACE	TYPE	MANUFACTURER	PRODUCT	COLOR
PLASTICS	LATEX	RUST-O-LEUM	PANTNER'S TOUCH ULTRA COVER	SEE DRAWINGS
UNCOATED METALS	ACRYLIC ENAMEL	RUST-O-LEUM	3800 SYSTEM DTM	SEE DRAWINGS
FIBERGLASS	ACRYLIC ENAMEL	RUST-O-LEUM	3800 SYSTEM DTM	SEE DRAWINGS

SEE PAINTING NOTES ON SHEET CD-2 FOR ADDITIONAL INFORMATION



RAYCAP AC/DC DISCONNECT W/ POWER SUPPLY
 P/N: RUSAC-1AN2-P-240-1
 NOT TO SCALE

CONSTRUCTION DRAWING

PREPARED FOR:

SUBMITTALS

REV	DATE	ISSUED FOR	DRAWN BY
1	4/5/22	INITIAL REVIEW	KSB

LICENSED PROFESSIONAL ENGINEER

TILSON
 On a Mission
 16 MIDDLE STREET, 4TH FLOOR,
 PORTLAND, ME 04101
 T: (207) 591-6427
 INFO@TILSONTECH.COM TILSONTECH.COM

QUINCY CRAN 025
 BROADWAY STREET
 QUINCY, IL 62305
 ADAMS COUNTY

SHEET TITLE
 EQUIPMENT DETAILS


DRAFTED BY:	APPROVED BY:	SHEET:	REV
KSB	MPB	CD-6	0



NSN/ B2/B66
PER SECTOR CONFIGURATION

DATE CREATED: 06/11/2020

ANT. TO AIRSCALE RADIO DE-CORRELATION



SEE ANTENNA PORT LAYOUT TO RIGHT

PCS/AWS
1900/2100 MHz

+Y1 -Y1 +Y2 -Y2

2T2R CONFIGURATION

PCS/AWS
1900/2100 MHz

+Y1 -Y1

SEE ANTENNA PORT LAYOUT TO RIGHT

ANCILLARY EQUIPMENT TOTAL
RADIO + AC DISCONNECT + POWER SUPPLY
WEIGHT: 33 LBS.
VOLUME: 8.5 CU. FT.




CABLE LEGEND

- 1/2" COAX JUMPER
- - - FIBER LEAD
- - - DC POWER LEAD
- - - AC POWER LEAD
- MID BAND PORT
- LOW BAND PORT
- WEATHERPROOF CAP
- 80ohm TERMINATION

- NOTES:
- ALL JUMPERS BETWEEN RADIO UNITS & ANTENNAS MUST BE THE SAME LENGTH.
 - CONTRACTOR TO INSTALL WEATHERPROOF CAP ON ALL UNPAIRED PORTS.

PLUMBING DIAGRAM: AHFIB B2/B66

CONTAINS U.S. CELLULAR'S CONFIDENTIAL INFORMATION. NOT FOR EXTERNAL USE OR DISCLOSURE WITHOUT PROPER AUTHORIZATION.



CONSTRUCTION DRAWING
PREPARED FOR:
U.S. Cellular

SUBMITTALS

REV	DATE	ISSUED FOR	DRAWN
1	4/5/22	INITIAL REVIEW	KSB

FOR REFERENCE ONLY

TILSON
On a Mission
16 MIDDLE STREET, 4TH FLOOR,
PORTLAND, ME 04101
T: (207) 591-6427
INFO@TILSONTECH.COM TILSONTECH.COM

QUINCY CRAN 025
BROADWAY STREET
QUINCY, IL 62305
ADAMS COUNTY

SHEET TITLE
USCC PLUMBING DIAGRAM

DRAFTED BY:	APPROVED BY:	SHEET:	REV
KSB	MPB	CD-7	0



696-960 / 1695-2700 MHz

CUT360X06Fxyz0

DUAL BAND | OMNI | CANISTER ANTENNA | X-POL | FIXED TILT | 610 MM (24.0 IN)

Features

- Omni configuration with 4 connectors
- Ideal for Small Cell / DAS applications
- Available with 4.3-10 or 7/16-DIN connectors
- Four unique mounting options
- Available for order with a grey, brown or black radome



Connector Description

The antenna has 4 connectors located at the bottom.

Low Band	■ R1	696-960 MHz	(2x) 4.3-10 or 7/16-DIN Female
Mid Band	■ Y1	1695-2700 MHz	(2x) 4.3-10 or 7/16-DIN Female

Electrical Characteristics

Frequency Bands (MHz)	■ R1		■ Y1			
	696-806	806-960	1695-1880	1850-1990	1920-2200	2300-2700
Polarization	±45°		±45°			
Horizontal Beamwidth	360°	360°	360°	360°	360°	360°
Vertical Beamwidth	47.5° ±5.2°	35.4° ±7.8°	17.4° ±1.7°	16.0° ±1.1°	15.3° ±1.2°	12.6° ±1.4°
Gain	6.3 ± 2.0	5.6 ± 1.4	9.2 ± 1.8	9.3 ± 2.8	9.5 ± 2.4	9.6 ± 3.0
Electrical Downtilt (°)	0, 0.5		0, 6			
Impedance	50Ω		50Ω			
VSWR	≤ 1.5:1		≤ 1.5:1			
Upper Sidelobe Suppression	N/A		> 12 dB			
Isolation Between Ports	20 dB		25 dB			
IM3 (2x20W carrier)	< -153 dBc		< -153 dBc			
Input Power	(2x) 500 W		(2x) 300 W			
Diplexed	No					
Number of Sectors, Sector Spacing and/or Pattern Shape	Omni					
Lightning Protection	Direct Ground					

Mechanical Characteristics

	610 x 371 mm	24.0 x 14.6 in
Antenna Dimensions (Height x Diameter)		
Weight without Mounting Bracket Kit	9.7 kg	21.5 lbs
Antenna Volume	0.07 m ³	2.3 ft ³
Survival Wind Speed	241 km/hr	150 mph
Wind Area	0.22 m ²	2.4 ft ²
Wind Load (160 km/hr or 100 mph)	191 N	43 lbf

Quoted performance parameters are provided to offer typical, peak or range values only and may vary as a result of normal testing, manufacturing and operational conditions. Extreme operational conditions and/or stress on structural supports is beyond our control. Such conditions may result in damage to this product. Improvements to products may be made without notice.

REV100318NA

www.amphenol-antennas.com

1 of 5

CONSTRUCTION DRAWING			
PREPARED FOR:			
SUBMITTALS			
REV	DATE	ISSUED FOR	DRAWN
1	4/5/22	INITIAL REVIEW	KSB
FOR REFERENCE ONLY			
On a Mission 16 MIDDLE STREET, 4TH FLOOR, PORTLAND, ME 04101 T: (207) 591-6427 INFO@TILSONTECH.COM TILSONTECH.COM			
QUINCY CRAN 025 BROADWAY STREET QUINCY, IL 62305 ADAMS COUNTY			
SHEET TITLE			
ANTENNA SPEC SHEET			
DRAFTED BY:	APPROVED BY:	SHEET:	REV
KSB	MPB	CD-8	0


PUBLIC NOTICE

Notice of Initiation of the Section 106 Process-Public Participation in accordance with the FCC's Nationwide Programmatic Agreement. U.S. Cellular intends to construct a communications facility at an address TBD Broadway Street, Quincy, Adams County, Illinois (Latitude: N 39 56 6.99 and Longitude: W 91 20 11.14). The facility will include a wood utility pole telecommunications tower with an overall height of 38 ft. and associated equipment. U.S. Cellular is publishing this notice in accordance with Federal Communications Commission regulations (47 CFR § 1.1307) for Section 106 of the National Historic Preservation Act (NHPA) and for the National Environmental Policy Act (NEPA). We respectfully request that parties interested in commenting on this Federal undertaking relative to potential effects on cultural or historic properties should contact GSS, Inc., 3311 109th Street, Urbandale, IA 50322; Ph. (515) 331-2103 within 30 days of the posting of this notice. (GSS #W22137)

The above text was published in the Quincy Herald Whig on May 12, 2022.


At this time, we have not received the attached affidavit.





CHAIRMAN

ATTEST:



COUNTY CLERK

COUNTY OF ADAMS)
STATE OF ILLINOIS)

I, Ryan A. Niekamp, County Clerk in and for said County of Adams, State of Illinois, do hereby certify that the foregoing is true and complete copy of the proceedings of the Adams County Board's meeting held on June 14, 2022 as shown by my records in my office.

Witness my hand and official seal at Quincy, Illinois
this 12th day of JULY, 2022.





COUNTY CLERK